

PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Grangeville

Data from 1993 - 2002
Compiled January, 2003

District Two

Prepared by:
Idaho Transportation Department
Division of Planning



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	S.H.-3	001800	000.000	000.467	N	1993	1.90	4.50	50	3.35			
						1994	1.90	4.50	50	3.33	0.20		
						1995	1.90	4.50	50	3.33	0.20		
						1996	3.20	4.50	34	3.91	0.18		
						1997	2.80	4.00	34	3.46	0.17		
						1998	2.70	3.00	35	2.86	0.18		
						1999	2.70	3.00	42	2.86	0.20		
						2000	2.80	3.00	42	2.91	0.20		
						2001	2.70	3.00	32	2.86	0.20		
						2002	2.60	2.60	32	2.60	0.23		
						2	S.H.-3	001800	000.467	002.484	N	1993	2.00
1994	2.00	1.30	54	1.61	0.40								
1995	2.00	1.30	54	1.61	0.40								
1996	2.70	1.30	34	1.92	0.21								
1997	2.40	1.10	34	1.68	0.20								
*1998	2.50	1.00	35	1.67	0.22								
*1999	2.50	1.00	45	1.67	0.23								
*2000	1.50	1.00	45	1.22	0.22								
2001	3.10	1.00	47	1.94	0.11								
2002	3.40	5.00	47	4.28	0.11								
2	S.H.-3	001800	002.502	004.580	N							1993	2.00
						1994	2.00	1.30	54	1.61	0.40		
						1995	2.00	1.30	54	1.61	0.40		
						1996	2.70	1.30	34	1.92	0.21		
						1997	2.40	1.10	34	1.68	0.20		
						*1998	2.50	1.00	35	1.67	0.22		
						*1999	2.50	1.00	45	1.67	0.23		
						*2000	1.50	1.00	45	1.22	0.22		
						2001	3.70	1.00	51	2.21	0.05		
						2002	3.60	5.00	51	4.37	0.05		
						2	S.H.-3	001800	004.580	006.349	N	1993	2.00
1994	2.00	1.30	54	1.61	0.40							HOT IN PLACE RECYCLE	1995
1995	2.00	1.30	54	1.61	0.40								
1996	2.90	1.30	33	2.01	0.19								
1997	2.50	1.10	33	1.72	0.22								
*1998	2.50	1.10	36	1.72	0.24								
*1999	2.50	1.00	45	1.67	0.23								
2000	3.50	5.00	46	4.32	0.13							MILL AND INLAY	2000
2001	3.40	4.00	40	3.73	0.13								
2002	3.50	4.00	40	3.77	0.16								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS									
2	S.H.-3	001800	006.349	012.275	N	1993	2.90	5.00	55	4.14												
						1994	2.90	5.00	55	4.14	0.18											
						1995	3.50	5.00	55	4.39	0.00	HOT IN PLACE RECYCLE					1995					
						1996	3.90	5.00	41	4.54	0.06											
						1997	3.50	4.50	41	4.08	0.04											
						*1998	3.60	4.50	34	4.12	0.08											
						*1999	3.70	4.50	43	4.16	0.11											
						2000	3.60	5.00	43	4.41	0.11	MILL AND INLAY					2000					
						2001	3.70	4.50	36	4.16	0.11											
						2002	3.60	4.50	36	4.12	0.13											
						2	S.H.-3	001800	012.275	012.400	N	1993	2.90	5.00	55	4.14						
												1994	2.90	5.00	55	4.14	0.18					
												1995	3.50	5.00	55	4.39	0.00	HOT IN PLACE RECYCLE				
1996	3.90	5.00	41	4.54	0.06							NEW CONST OR RECONST (FLEX)					1996					
1997	3.50	4.50	41	4.08	0.04							SEALCOAT					1997					
*1998	3.60	4.50	34	4.12	0.08																	
*1999	3.70	4.50	43	4.16	0.11																	
2000	4.00	4.80	43	4.47	0.20																	
2001	3.40	4.80	36	4.21	0.19																	
2002	3.30	4.70	36	4.11	0.20																	
2	S.H.-3	001800	012.400	013.660	N							*1993	1.30	0.90	55	1.06						
												1994	1.80	1.40	54	1.56	0.58					
												1995	1.80	1.40	54	1.56	0.58					
						1996	2.10	1.40	54	1.69	0.12	NEW CONST OR RECONST (FLEX)					1996					
						1997	3.20	1.40	41	2.12	0.10	SEALCOAT					1997					
						*1998	3.30	5.00	38	4.29	0.15											
						1999	2.80	5.00	49	4.08	0.12											
						2000	2.80	4.80	49	3.99	0.13											
						2001	2.70	4.80	47	3.92	0.16											
						2002	2.70	4.80	47	3.92	0.20											
						2	S.H.-3	001800	013.840	016.100	N	1993	2.80	4.00	52	3.47						
												1994	2.80	4.00	52	3.47	0.38					
												1995	2.80	4.00	52	3.47	0.38					
1996	3.50	3.80	35	3.66	0.17																	
1997	3.20	3.80	35	3.53	0.17							SEALCOAT					1997					
1998	3.20	3.80	35	3.53	0.21																	
1999	3.10	3.80	43	3.48	0.20																	
2000	3.20	3.80	43	3.53	0.20																	
2001	3.10	3.80	37	3.49	0.25																	
2002	3.00	3.80	37	3.44	0.28																	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	S.H.-3	001800	016.100	017.850	N	1993	2.30	2.50	58	2.41			
						1994	2.30	2.50	58	2.41	0.32		
						1995	2.30	2.40	58	2.35	0.32		
						1996	3.20	2.10	50	2.59	0.12		
						1997	2.80	2.10	50	2.41	0.11	SEALCOAT	1997
						1998	2.80	2.10	39	2.41	0.10		
						1999	2.70	2.10	48	2.36	0.09	SEALCOAT	1999
						2000	2.80	2.10	48	2.40	0.10		
						2001	2.70	2.10	41	2.36	0.12		
						2002	2.80	2.10	41	2.40	0.14		
2	S.H.-3	001800	018.000	022.413	N	1993	2.90	2.80	65	2.84			
						1994	2.90	2.80	65	2.84	0.11		
						1995	2.90	2.60	65	2.73	0.11		
						1996	3.40	2.60	46	2.95	0.06		
						1997	3.20	2.40	46	2.75	0.06		
						1998	3.20	2.30	46	2.69	0.07		
						1999	3.60	5.00	42	4.38	0.07	SEALCOAT	1999
						2000	3.60	5.00	42	4.38	0.04		
						2001	3.60	5.00	57	4.38	0.04		
						2002	3.60	4.70	57	4.21	0.05		
2	S.H.-3	001800	022.413	025.594	N	1993	2.20	3.50	60	2.92			
						1994	2.20	3.50	60	2.92	0.37		
						1995	2.20	3.50	60	2.92	0.37		
						1996	3.10	3.50	41	3.32	0.17		
						1997	2.70	3.30	41	3.03	0.16		
						1998	2.70	3.30	41	3.03	0.22		
						1999	3.00	5.00	46	4.12	0.10	SEALCOAT	1999
						2000	3.00	5.00	46	4.12	0.08		
						2001	3.00	4.50	53	3.84	0.09		
						2002	3.20	4.50	53	3.92	0.10		
2	S.H.-3	001800	025.594	029.000	N	1993	2.80	3.50	62	3.21			
						1994	2.80	3.50	62	3.21	0.12		
						1995	2.80	3.50	62	3.21	0.12		
						1996	3.20	3.50	47	3.37	0.06		
						1997	3.00	3.30	47	3.17	0.07		
						1998	3.00	3.10	47	3.05	0.07		
						1999	3.50	5.00	47	4.37	0.05	SEALCOAT	1999
						2000	3.40	5.00	47	4.35	0.04		
						2001	3.40	4.50	53	4.05	0.05		
						2002	3.30	4.50	53	4.01	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	S.H.-3	001800	039.000	039.465	N	1993	1.80	1.40	51	1.56			
						1994	1.20	1.40	51	1.31	0.22		
						1995	1.20	1.40	51	1.31	0.22		
						1996	2.60	1.40	39	1.89	0.22		
						1997	2.50	1.30	39	1.78	0.18	SEALCOAT	1997
						1998	2.30	1.30	39	1.71	0.20		
						1999	2.20	1.30	44	1.67	0.19		
						2000	2.30	1.30	44	1.71	0.22		
						2001	2.30	1.30	44	1.71	0.21		
						2002	1.90	3.30	44	2.72	0.19		
						2	S.H.-3	001800	039.465	048.236	N	1993	2.50
1994	2.50	3.00	58	2.78	0.22								
1995	2.50	3.00	58	2.78	0.22								
1996	3.20	2.80	36	2.97	0.18								
1997	2.90	2.80	36	2.84	0.19							SEALCOAT	1997
1998	2.90	2.80	36	2.84	0.17								
1999	2.70	2.40	46	2.53	0.17								
2000	2.90	2.20	46	2.50	0.16								
2001	2.90	2.20	39	2.50	0.16								
2002	2.80	2.20	39	2.46	0.17								
2	S.H.-3	001870	026.317	036.310	N							1993	2.40
						1994	2.30	1.90	55	2.06	0.08		
						1995	3.50	5.00	55	4.37	0.00	COLD IN PLACE RECYCLE WITH OVERLAY	1995
						1996	3.90	5.00	32	4.54	0.09		
						1997	3.70	4.50	32	4.16	0.06		
						1998	3.70	4.50	32	4.16	0.04		
						1999	3.60	4.50	52	4.12	0.04		
						2000	3.70	4.50	52	4.16	0.04		
						2001	3.70	4.50	46	4.16	0.06		
						2002	3.70	4.50	46	4.16	0.06		
						2	S.H.-3	001870	036.270	043.000	N	1993	2.40
1994	2.30	1.90	55	2.06	0.08								
1995	3.50	5.00	55	4.37	0.00							COLD IN PLACE RECYCLE WITH OVERLAY	1995
1996	3.90	5.00	32	4.54	0.09								
1997	3.70	4.50	32	4.16	0.06								
1998	3.70	4.50	32	4.16	0.04								
1999	3.60	4.50	52	4.12	0.04								
2000	3.70	4.50	52	4.16	0.04								
2001	3.70	4.50	46	4.16	0.06								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
2	S.H.-6	001840	100.000	104.420	N	1993	1.80	1.80	57	1.80			
						1994	1.70	1.80	57	1.75	0.37		
						1995	1.70	1.80	57	1.75	0.37		
						1996	2.80	1.80	53	2.21	0.22		
						1997	2.60	1.50	53	1.95	0.23		
						1998	2.80	1.50	45	2.03	0.22		
						1999	2.80	1.50	57	2.03	0.22		
						2000	2.90	1.50	57	2.07	0.18		
						2001	2.90	1.50	58	2.07	0.16		
						2002	2.90	2.60	58	2.72	0.16		
2	S.H.-6	001850	000.000	001.291	N	1993	2.40	1.00	55	1.58			
						1994	2.50	1.00	55	1.62	0.29	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	55	4.37	0.00		
						1996	3.80	5.00	42	4.49	0.11		
						1997	3.70	4.80	42	4.34	0.11		
						1998	3.60	4.80	42	4.29	0.14		
						1999	3.60	4.80	39	4.29	0.18		
						2000	3.60	4.80	39	4.29	0.20		
						2001	3.60	4.80	27	4.29	0.20		
						2002	3.40	4.80	27	4.21	0.24		
2	S.H.-6	001850	001.291	002.250	N	1993	2.10	1.50	51	1.72			
						1994	2.10	1.50	51	1.72	0.46	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	51	4.42	0.00		
						1996	3.80	5.00	36	4.54	0.13		
						1997	3.60	4.80	36	4.34	0.15		
						1998	3.50	4.80	36	4.30	0.17		
						1999	3.50	4.80	44	4.30	0.21		
						2000	3.50	4.80	44	4.30	0.25		
						2001	3.40	4.80	31	4.26	0.26		
						2002	3.40	4.80	31	4.26	0.34		
2	S.H.-6	001850	002.250	004.332	N	1993	2.20	1.40	54	1.73			
						1994	2.20	1.40	54	1.73	0.57	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	54	4.37	0.00		
						1996	3.90	5.00	47	4.54	0.10		
						1997	3.70	4.80	47	4.34	0.09		
						1998	3.60	4.80	47	4.30	0.12		
						1999	3.70	4.80	47	4.34	0.14		
						2000	3.70	4.80	47	4.34	0.15		
						2001	3.60	4.80	30	4.30	0.17		
						2002	3.60	4.80	30	4.30	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	S.H.-6	001850	004.332	005.450	N	1993	2.60	1.40	57	1.83									
						1994	2.50	1.40	57	1.79	0.47	PLANT MIX OVERLAY	1995						
						1995	3.50	5.00	57	4.43	0.00								
						1996	4.10	5.00	45	4.67	0.08								
						1997	3.90	4.80	45	4.47	0.08								
						1998	3.90	4.80	45	4.47	0.10								
						1999	3.80	4.80	40	4.42	0.12								
						2000	3.90	4.80	40	4.47	0.12								
						2001	3.90	4.80	31	4.47	0.15								
						2002	3.70	4.80	31	4.40	0.15								
						2	S.H.-6	001850	005.450	009.888	N	1993	2.70	1.40	60	1.93			
												1994	2.70	1.40	60	1.93	0.43	PLANT MIX OVERLAY	1995
1995	3.50	5.00	60	4.39	0.00														
1996	4.10	5.00	45	4.62	0.09														
1997	3.90	4.80	45	4.42	0.08														
*1998	3.90	4.80	45	4.42	0.10														
1999	3.80	4.80	43	4.39	0.11							SEALCOAT	1999						
2000	3.90	4.80	43	4.42	0.11														
2001	3.80	4.80	31	4.38	0.14														
2002	3.70	4.80	31	4.34	0.15														
2	S.H.-6	001850	009.888	017.157	N							1993	2.80	5.00	60	4.15			
												1994	2.90	5.00	60	4.18	0.32	PLANT MIX OVERLAY	1995
						1995	2.30	5.00	60	3.95	0.33								
						1996	3.80	5.00	31	4.53	0.15								
						1997	3.60	4.50	31	4.15	0.16								
						1998	3.40	4.50	31	4.07	0.21								
						1999	3.40	4.50	79	4.07	0.25	SEALCOAT	1999						
						2000	3.50	4.00	79	3.79	0.20								
						2001	3.40	4.00	46	3.75	0.24								
						2002	3.40	4.00	46	3.75	0.25								
						2	S.H.-6	001850	017.157	020.286	N	1993	1.90	0.90	57	1.28			
												1994	2.10	0.90	57	1.36	0.35		
1995	2.10	0.90	57	1.36	0.35														
1996	3.10	2.00	44	2.42	0.16														
1997	3.00	1.80	44	2.26	0.14														
1998	2.60	1.80	44	2.10	0.14														
1999	3.60	5.00	75	4.45	0.03							MINOR WIDENING	1999						
2000	3.70	3.50	75	3.58	0.04														
2001	3.60	3.50	35	3.54	0.04														
2002	3.70	3.50	35	3.58	0.05														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
2	S.H.-7	001920	036.783	040.146	N	2002	2.70		35	2.70	0.44		
2	S.H.-7	001920	040.146	048.870	N	2002	2.50		35	2.50	0.32		
2	S.H.-7	001920	049.280	049.455	N	1993	0.80	2.70	70	1.97			
						1994	0.80	2.70	70	1.97	0.42		
						1995	0.80	2.70	70	1.96	0.42		
						1996	1.40	2.50	35	2.07	0.34		
						*1997	0.80	2.50	35	1.84	0.33		
						1998	1.50	2.50	41	2.11	0.34		
						1999	0.70	5.00	41	3.33	0.06		
						2000	0.60	4.00	41	2.68	0.06		
						2001	0.60	4.00	41	2.68	0.07		
						2002	1.00	4.00	35	2.83	0.10		
2	S.H.-7	001920	049.455	049.952	N	1993	2.10	2.00	52	2.03			
						1994	2.10	1.90	52	1.97	0.39		
						1995	2.10	1.80	52	1.91	0.39		
						1996	2.60	1.60	36	1.98	0.28		
						*1997	2.00	1.60	36	1.75	0.33		
						*1998	4.00	5.00	58	4.58	0.12	PLANT MIX OVERLAY	
						1999	1.90	5.00	45	3.80	0.12		
						2000	1.70	5.00	45	3.73	0.16		
						2001	1.70	5.00	36	3.73	0.18		
						2002	1.60	5.00	36	3.69	0.17		
2	S.H.-7	001920	049.952	050.886	N	1993	1.90	2.40	53	2.19			
						1994	1.90	2.40	53	2.19	0.51		
						1995	1.90	2.30	53	2.13	0.51		
						*1996	2.50	2.30	35	2.38	0.33		
						*1997	2.00	2.30	36	2.17	0.37	NEW CONST OR RECONST (FLEX)	
						*1998	4.00	5.00	58	4.58	0.12	PLANT MIX OVERLAY	
						1999	2.60	5.00	37	4.00	0.07		
						2000	2.60	5.00	37	4.00	0.07		
						2001	2.60	5.00	38	4.00	0.10		
						2002	2.70	5.00	38	4.04	0.09		
2	S.H.-7	001920	050.886	053.016	N	1993	1.90	2.20	55	2.08			
						1994	1.90	2.20	55	2.08	0.34		
						1995	1.90	2.00	55	1.96	0.34		
						*1996	2.70	2.00	46	2.26	0.27		
						1997	2.90	5.00	46	4.20	0.05	NEW CONST OR RECONST (FLEX)	
						1998	2.90	5.00	59	4.20	0.09		
						1999	2.80	5.00	49	4.16	0.06		
						2000	2.80	4.00	49	3.54	0.06		
						2001	2.80	4.00	47	3.54	0.06		
						2002	3.00	4.00	47	3.62	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	S.H.-7	001920	053.016	053.346	N	1993	1.90	2.20	55	2.08									
						1994	1.90	2.20	55	2.08	0.34								
						1995	1.90	2.00	55	1.96	0.34								
						*1996	2.70	2.00	46	2.26	0.27								
						1997	1.80	2.00	46	1.92	0.26								
						1998	1.50	2.00	59	1.81	0.30								
						1999	3.30	2.00	49	2.49	0.03								
						2000	2.80	2.00	49	2.30	0.05								
						2001	2.80	5.00	47	4.16	0.05								
						2002	3.00	5.00	47	4.24	0.06								
						2	S.H.-8	001870	000.000	000.307	N	1993	3.40	3.00	48	3.17			
												1994	3.50	2.70	48	3.07	0.15		
1995	3.50	2.70	48	3.07	0.15														
1996	3.70	2.70	35	3.16	0.09														
1997	3.00	2.70	35	2.84	0.08														
1998	2.70	5.00	35	3.92	0.08														
1999	2.60	5.00	35	3.87	0.07							SEALCOAT							
2000	2.60	5.00	49	3.87	0.09														
2001	2.50	5.00	33	3.82	0.09														
2002	2.90	5.00	33	4.00	0.15														
2	S.H.-8	001870	000.307	000.726	N							1993	3.30	3.00	37	3.13			
												1994	3.50	2.70	37	3.04	0.16		
						1995	3.50	2.70	37	3.04	0.16								
						1996	3.60	2.70	34	3.09	0.36								
						1997	3.30	2.70	34	2.96	0.10								
						1998	3.30	5.00	17	4.25	0.17								
						1999	3.20	5.00	22	4.20	0.14	SEALCOAT							
						2000	3.30	5.00	22	4.25	0.19								
						2001	3.10	5.00	27	4.16	0.16								
						2002	3.20	5.00	27	4.20	0.21								
						2	S.H.-8	001870	000.726	001.334	N	1993	2.50	3.00	46	2.77			
												1994	3.20	3.00	46	3.08	0.43		
1995	3.20	2.80	46	2.97	0.43														
1996	3.30	2.80	35	3.02	0.39														
1997	3.10	2.80	35	2.93	0.04														
1998	2.90	5.00	24	4.06	0.12														
1999	2.90	5.00	27	4.06	0.12							SEALCOAT							
2000	3.00	5.00	27	4.10	0.19														
2001	2.90	5.00	32	4.06	0.18														
2002	2.80	5.00	32	4.01	0.25														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	S.H.-8	001870	001.334	001.609	N	1993	2.80	4.00	35	3.46		
						1994	2.70	4.00	35	3.42	0.01	
						1995	2.70	3.70	35	3.25	0.01	
						1996	2.40	3.70	43	3.11	0.19	
						1997	2.40	3.70	43	3.11	0.10	
						1998	2.00	5.00	36	3.66	0.17	
						1999	2.10	5.00	36	3.70	0.14	SEALCOAT
						2000	2.20	4.50	36	3.47	0.21	
						2001	2.00	4.50	37	3.38	0.18	
						2002	2.40	4.50	37	3.56	0.23	
2	S.H.-8	001870	001.609	001.797	N	1993	0.60	2.90	55	1.87		
						1994	1.30	2.40	55	1.90	0.15	
						1995	1.30	2.20	55	1.80	0.15	
						1996	2.90	2.20	43	2.51	0.09	
						1997	2.80	2.20	43	2.47	0.14	
						1998	2.40	2.20	43	2.29	0.16	
						1999	2.40	3.50	43	3.00	0.16	
						2000	2.40	3.50	36	3.00	0.17	
						2001	2.50	3.50	37	3.04	0.18	
						2002	2.20	3.30	37	2.80	0.18	
2	S.H.-8	001870	001.797	001.917	N	1993	0.80	2.50	55	1.75		
						1994	0.80	2.30	55	1.64	0.21	
						1995	0.80	2.20	55	1.58	0.21	
						1996	1.90	2.20	39	2.06	0.18	
						1997	1.30	2.20	39	1.80	0.21	
						1998	1.20	2.20	39	1.75	0.23	
						1999	1.10	2.20	39	1.71	0.27	
						2000	0.90	2.20	36	1.62	0.24	
						2001	1.10	2.20	37	1.71	0.29	
						2002	0.90	2.20	37	1.63	0.37	
2	S.H.-8	001870	002.235	002.429	N	1993	2.70	4.00	43	3.48		
						1994	2.80	4.00	43	3.52	0.11	
						1995	2.80	4.00	43	3.52	0.11	
						1996	3.40	4.00	36	3.75	0.32	
						1997	3.30	4.00	36	3.71	0.30	
						1998	2.90	3.50	36	3.25	0.37	
						*1999	2.90	3.50	25	3.25	0.44	
						2000	2.00	5.00	45	3.79	0.11	
						2001	2.80	5.00	37	4.11	0.11	
						2002	2.00	5.00	37	3.79	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
2	S.H.-8	001870	002.429	002.730	N	1993	2.70	4.00	43	3.48								
						1994	2.80	4.00	43	3.52	0.11							
						1995	2.80	4.00	43	3.52	0.11							
						1996	3.40	4.00	36	3.75	0.32							
						1997	3.30	4.00	36	3.71	0.30							
						1998	2.90	3.50	36	3.25	0.37							
						*1999	2.90	3.50	25	3.25	0.44							
						2000	3.40	3.50	25	3.45	0.63							
						2001	3.20	3.50	28	3.37	0.41							
						2002	3.10	3.40	28	3.27	0.59							
						2	S.H.-8	001870	002.730	003.280	N	1993	2.60	4.50	44	3.76		
												1994	2.70	4.50	44	3.80	0.14	
												1995	2.70	4.00	44	3.49	0.14	
1996	3.40	4.00	37	3.76	0.12													
1997	3.30	4.00	37	3.72	0.09													
1998	3.20	4.00	37	3.68	0.11													
1999	3.10	3.90	31	3.58	0.21													
2000	3.40	3.90	31	3.70	0.22													
2001	3.00	3.90	29	3.54	0.15													
2002	3.10	2.50	29	2.73	0.39													
2	S.H.-8	001870	003.280	004.414	N							1993	2.80	4.00	40	3.49		
												1994	3.00	4.00	40	3.57	0.10	
												1995	3.00	4.00	40	3.57	0.10	
						1996	3.80	4.00	40	3.91	0.15							
						1997	3.50	4.00	40	3.78	0.16							
						1998	3.50	4.00	40	3.78	0.15							
						1999	3.30	4.00	33	3.70	0.20							
						2000	3.40	3.80	33	3.63	0.20							
						2001	3.40	3.80	31	3.63	0.23							
						2002	3.40	3.80	31	3.63	0.29							
						2	S.H.-8	001870	004.414	005.050	N	1993	2.90	3.00	52	2.95		
												1994	2.90	3.00	52	2.95	0.16	
												1995	2.90	3.00	52	2.95	0.16	
1996	3.80	3.00	41	3.35	0.12													
1997	3.60	3.00	41	3.26	0.10													
*1998	3.50	3.00	41	3.22	0.15													
1999	3.10	3.00	34	3.04	0.21													
2000	3.40	3.00	34	3.18	0.25													
2001	3.40	3.00	43	3.18	0.20													
2002	3.30	3.00	43	3.13	0.18													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
2	S.H.-8	001870	005.050	010.630	N	1993	2.90	3.00	52	2.95		
						1994	2.90	3.00	52	2.95	0.16	
						1995	2.90	3.00	52	2.95	0.16	
						1996	3.80	3.00	41	3.35	0.12	
						1997	3.60	3.00	41	3.26	0.10	
						*1998	3.50	3.00	41	3.22	0.15	
						1999	3.60	5.00	64	4.37	0.13	PLANT MIX OVERLAY
						2000	3.70	5.00	64	4.41	0.12	
						2001	3.70	5.00	33	4.41	0.17	
						2002	3.60	5.00	33	4.37	0.21	
2	S.H.-8	001870	010.630	014.061	N	1993	2.90	4.00	55	3.58		
						1994	2.90	4.00	55	3.57	0.14	
						1995	2.90	3.50	55	3.24	0.14	
						1996	3.90	3.50	39	3.66	0.12	
						1997	3.70	3.40	39	3.52	0.11	
						1998	3.70	3.40	39	3.52	0.14	
						1999	3.60	3.40	36	3.48	0.17	
						2000	3.60	3.40	36	3.48	0.17	
						*2001	3.60	3.40	37	3.48	0.18	
2	S.H.-8	001870	010.630	014.255	N	2002	3.90	5.00	37	4.53	0.14	PLANT MIX OVERLAY
2	S.H.-8	001870	014.061	014.273	N	1993	1.90	1.90	49	1.90		
						1994	1.80	1.90	49	1.86	0.14	
						1995	1.80	1.70	49	1.74	0.14	
						1996	2.40	1.70	43	1.99	0.11	
						1997	2.20	1.50	43	1.79	0.10	
						1998	2.70	1.50	43	2.00	0.16	
						1999	2.70	1.50	43	2.00	0.13	
						2000	2.40	1.50	36	1.87	0.15	
						*2001	2.10	1.50	37	1.75	0.19	
2	S.H.-8	001870	014.255	014.273	N	2002	3.90	5.00	37	4.53	0.14	LEVELING COURSE
2	S.H.-8	001870	014.273	014.572	N	1993	1.50	1.50	58	1.50		
						1994	1.50	1.50	58	1.50	0.11	
						1995	1.50	1.30	58	1.38	0.11	
						1996	2.60	1.30	47	1.84	0.13	
						1997	2.40	1.20	47	1.70	0.13	
						1998	2.40	1.20	47	1.70	0.17	
						1999	1.80	1.20	52	1.45	0.20	
						2000	1.30	1.20	52	1.24	0.17	
						2001	1.40	1.20	56	1.28	0.16	
						2002	3.30	5.00	56	4.29	0.06	LEVELING COURSE
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
2	S.H.-8	001870	014.572	017.440	N	1993	2.80	1.90	56	2.27			
						1994	2.80	1.80	56	2.21	0.11		
						1995	3.50	5.00	56	4.32	0.00	PLANT MIX OVERLAY	1995
						1996	3.70	5.00	39	4.41	0.08		
						1997	3.60	4.80	39	4.26	0.07		
						1998	3.50	4.80	39	4.21	0.08		
						1999	3.40	4.80	36	4.17	0.11		
						2000	3.50	4.80	36	4.21	0.11		
						2001	3.40	4.80	37	4.17	0.13		
						2002	3.50	4.80	37	4.21	0.16		
2	S.H.-8	001870	017.520	025.796	N	1993	2.90	2.30	58	2.54			
						1994	2.90	2.20	58	2.49	0.11		
						1995	3.50	5.00	58	4.32	0.00	PLANT MIX OVERLAY	1995
						1996	4.00	5.00	37	4.55	0.08		
						1997	3.80	4.80	37	4.35	0.06		
						1998	3.80	4.80	37	4.35	0.07		
						1999	3.70	4.80	39	4.30	0.10		
						2000	3.70	4.80	39	4.30	0.09		
						2001	3.70	4.60	40	4.19	0.11		
						2002	3.60	4.60	40	4.15	0.15		
2	S.H.-8	001870	025.796	026.317	N	1993	2.40	4.50	45	3.70			
						1994	2.40	4.50	45	3.70	0.18		
						1995	3.50	4.50	45	4.08	0.00	COLD IN PLACE RECYCLE WITH OVERLAY	1995
						1996	3.90	4.50	36	4.25	0.09		
						1997	3.80	4.40	36	4.15	0.07		
						1998	3.80	4.40	36	4.15	0.11		
						1999	3.70	4.40	44	4.10	0.14		
						2000	3.70	4.40	44	4.10	0.12		
						2001	3.70	4.40	49	4.10	0.13		
						2002	3.60	4.40	49	4.06	0.17		
2	S.H.-8	001870	036.270	043.000	N	2002	3.50	4.50	53	4.09	0.08	SEALCOAT	2002
2	S.H.-8	001870	043.110	043.700	N	1993	2.30	2.50	52	2.41			
						*1994	2.60	2.50	52	2.54	0.23		
						1995	3.50	5.00	48	4.38	0.00	COLD IN PLACE RECYCLE WITH OVERLAY	1995
						1996	3.80	5.00	42	4.50	0.08		
						1997	3.50	4.50	42	4.08	0.09		
						1998	3.40	4.50	42	4.04	0.05		
						1999	3.30	4.50	57	4.00	0.04		
						2000	3.40	4.50	57	4.04	0.05		
						2001	3.40	4.50	50	4.05	0.04		
						2002	3.60	4.50	50	4.13	0.04	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	S.H.-8	001870	043.700	048.685	N	1993	2.30	2.50	52	2.41		
						*1994	2.60	2.50	52	2.54	0.23	
						1995	2.60	2.50	52	2.54	0.23	SEALCOAT
						1996	3.40	2.50	50	2.87	0.07	
						1997	3.20	2.40	50	2.72	0.06	
						1998	3.10	2.40	50	2.68	0.07	
						1999	2.90	3.00	40	2.95	0.07	
						2000	3.10	2.90	40	2.98	0.07	
						2001	3.10	2.90	44	2.98	0.08	
						2002	3.00	2.90	44	2.94	0.08	SEALCOAT
2	S.H.-8	001870	048.685	053.589	N	1993	2.30	2.70	54	2.54		2002
						1994	2.40	2.70	54	2.58	0.37	
						1995	2.40	2.70	54	2.58	0.37	SEALCOAT
						1996	3.30	2.70	51	2.92	0.09	
						1997	3.20	2.50	51	2.76	0.09	
						1998	3.10	2.50	51	2.72	0.10	
						1999	3.00	2.50	45	2.68	0.11	
						2000	3.10	2.30	45	2.60	0.10	
						2001	3.00	2.30	41	2.55	0.11	
						2002	2.90	2.30	41	2.52	0.11	SEALCOAT
2	S.H.-9	001860	000.000	003.630	N	1993	2.60	3.50	61	3.13		2002
						1994	2.60	3.50	61	3.12	0.23	SEALCOAT
						1995	2.60	3.50	61	3.12	0.23	
						1996	3.50	3.50	54	3.50	0.18	
						1997	3.40	3.30	54	3.34	0.19	
						1998	3.30	3.30	55	3.30	0.17	
						1999	3.30	1.80	57	2.41	0.22	
						2000	3.10	1.80	57	2.33	0.07	
						2001	3.10	1.80	42	2.32	0.05	
						2002	3.10	3.00	42	3.04	0.08	
2	S.H.-9	001860	003.630	007.300	N	1993	2.60	3.00	62	2.83		1994
						1994	2.50	3.00	62	2.79	0.04	SEALCOAT
						1995	2.50	3.00	62	2.79	0.04	
						1996	3.00	3.00	53	3.00	0.10	
						1997	2.80	2.80	53	2.80	0.11	
						1998	2.60	2.80	57	2.71	0.09	
						1999	2.40	2.80	51	2.63	0.11	
						2000	3.30	2.80	51	3.00	0.04	
						2001	3.10	2.80	51	2.92	0.04	
						2002	3.10	2.80	51	2.92	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
2	S.H.-9	001860	007.300	013.522	N	1993	2.80	4.00	58	3.50			
						1994	2.80	4.00	58	3.50	0.11	SEALCOAT	1994
						1995	2.90	4.00	58	3.54	0.10		
						1996	3.50	4.00	50	3.79	0.10		
						1997	3.20	3.90	50	3.61	0.11		
						1998	3.10	3.90	51	3.56	0.11		
						1999	3.10	3.90	48	3.56	0.13		
						2000	3.10	3.50	48	3.33	0.11		
						2001	3.10	3.50	42	3.33	0.12		
						2002	2.90	3.30	42	3.13	0.14		
2	S.H.-11	001930	000.000	002.750	N	1993	1.70	4.50	58	3.44			
						1994	1.70	4.50	58	3.44	0.35		
						1995	1.70	4.30	58	3.31	0.35		
						1996	3.50	4.30	49	3.99	0.15		
						1997	3.10	4.20	49	3.78	0.13		
						1998	3.20	4.20	49	3.82	0.16		
						1999	3.20	4.20	40	3.82	0.14		
						2000	3.30	4.20	40	3.86	0.16		
						2001	3.20	4.20	42	3.82	0.16		
						2002	3.10	4.20	42	3.78	0.17		
2	S.H.-11	001930	002.750	004.100	N	1993	2.00	4.50	51	3.55			
						1994	2.00	4.50	51	3.55	0.44		
						1995	2.00	4.50	51	3.55	0.44		
						1996	3.70	4.50	47	4.19	0.15		
						1997	3.50	4.40	47	4.06	0.13		
						1998	3.50	4.40	47	4.06	0.14		
						1999	3.50	4.40	39	4.06	0.13		
						2000	3.50	4.00	39	3.81	0.14		
						2001	3.50	4.00	38	3.81	0.14		
						2002	3.40	4.00	38	3.77	0.16		
2	S.H.-11	001930	004.100	006.444	N	1993	1.70	4.00	57	3.13			
						1994	1.70	4.00	57	3.13	0.29		
						1995	1.70	4.00	57	3.13	0.29		
						1996	3.40	4.00	57	3.77	0.14		
						1997	3.00	4.00	47	3.62	0.11		
						1998	3.00	4.00	47	3.62	0.12		
						1999	2.80	4.00	41	3.54	0.12		
						2000	3.00	4.00	41	3.62	0.13		
						2001	2.90	4.00	53	3.58	0.13		
						2002	2.90	4.00	53	3.58	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
2	S.H.-11	001930	006.444	007.900	N	1993	2.30	4.50	63	3.67				
						1994	2.40	4.50	63	3.70	0.29			
						1995	2.40	4.50	63	3.70	0.29			
						1996	3.80	4.50	47	4.23	0.12			
						1997	3.60	4.50	47	4.16	0.11			
						1998	3.50	4.50	47	4.12	0.14			
						1999	3.50	4.50	45	4.12	0.13			
						2000	3.50	4.50	45	4.12	0.13			
						2001	3.60	4.50	50	4.16	0.12			
						2002	3.40	4.50	50	4.08	0.14			
						2	S.H.-11	001930	007.900	012.794	N	1993	2.50	3.50
1994	2.50	3.50	59	3.08	0.25									
1995	2.50	3.50	59	3.08	0.25									
1996	3.40	3.50	45	3.45	0.16									
1997	3.20	3.40	45	3.31	0.15									
1998	3.20	3.40	45	3.31	0.17									
1999	3.20	3.40	65	3.31	0.16							SEALCOAT		
2000	3.20	3.40	65	3.31	0.13									
2001	3.20	3.40	44	3.31	0.13									
2002	3.30	3.40	44	3.35	0.16									
2	S.H.-11	001930	012.794	017.667	N							1993	3.00	3.50
						1994	3.10	3.50	59	3.33	0.10			
						1995	3.10	3.50	59	3.33	0.10			
						1996	3.90	3.50	44	3.66	0.15			
						1997	3.80	3.50	44	3.62	0.15			
						1998	3.70	3.50	44	3.58	0.16			
						1999	3.60	3.50	67	3.54	0.18	SEALCOAT		
						2000	3.70	3.50	67	3.57	0.14			
						2001	3.70	3.50	47	3.58	0.13			
						2002	3.70	3.50	47	3.58	0.19			
						2	S.H.-11	001930	017.667	018.678	N	1993	2.40	1.50
*1994	2.30	1.50	55	1.83	0.30									
1995	1.70	3.90	54	3.06	0.27									
1996	3.30	3.50	40	3.42	0.27									
1997	3.00	3.50	40	3.31	0.26									
1998	2.90	3.30	40	3.14	0.30									
1999	3.10	3.30	65	3.22	0.24							SEALCOAT		
2000	3.20	3.30	65	3.26	0.21									
2001	3.10	3.30	41	3.22	0.26									
2002	3.20	3.30	41	3.26	0.28							SEALCOAT		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	S.H.-11	001930	018.678	023.143	N	1993	2.40	1.50	55	1.87									
						*1994	2.30	1.50	55	1.83	0.30	PLANT MIX OVERLAY	1995						
						1995	3.50	5.00	55	4.37	0.00								
						1996	3.90	5.00	34	4.54	0.08								
						1997	3.60	5.00	34	4.42	0.06	SEALCOAT	1997						
						1998	3.50	4.80	34	4.26	0.08								
						1999	3.50	4.80	34	4.26	0.09								
						2000	3.50	4.50	34	4.08	0.09								
						2001	3.60	4.50	23	4.12	0.12								
						2002	3.50	4.50	23	4.08	0.12	SEALCOAT	2002						
						2	S.H.-11	001930	023.143	029.334	N	1993	2.10	1.50	55	1.74			
												*1994	2.00	1.50	55	1.70	0.40		
1995	2.00	1.50	55	1.70	0.41														
1996	3.00	1.50	43	2.12	0.23														
1997	3.00	1.50	43	2.12	0.19							SEALCOAT	1997						
*1998	2.90	1.50	43	2.07	0.20														
1999	3.00	1.50	34	2.12	0.19														
2000	3.10	1.40	34	2.04	0.19														
2001	3.10	1.40	40	2.10	0.19														
2002	3.10	1.40	40	2.10	0.20														
2	S.H.-11	001930	029.334	029.540	N							1993	2.70	1.50	59	1.95			
												1994	2.60	1.50	59	1.91	0.14		
						1995	2.60	1.50	59	1.91	0.14								
						1996	3.10	1.50	49	2.10	0.30								
						1997	3.30	1.50	49	2.17	0.19								
						*1998	3.30	1.50	49	2.17	0.22								
						1999	1.60	5.00	55	3.71	0.13	NEW CONST OR RECONST (FLEX)	1999						
						2000	3.40	5.00	55	4.39	0.12								
						2001	3.50	5.00	43	4.43	0.14								
						2002	3.20	5.00	43	4.32	0.17								
						2	S.H.-11	001930	029.540	034.118	N	1993	1.60	1.50	57	1.54			
												1994	1.60	1.50	57	1.54	0.43		
1995	1.60	1.50	57	1.54	0.43														
1996	2.90	1.50	43	2.07	0.31														
1997	2.60	1.50	43	1.95	0.26														
*1998	1.40	5.00	43	3.51	0.31														
*1999	2.70	5.00	34	4.05	0.10							PLANT MIX OVERLAY	1999						
2000	3.30	5.00	34	4.29	0.05														
2001	3.30	5.00	55	4.29	0.04														
2002	3.40	5.00	55	4.33	0.05														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	S.H.-11	001930	034.177	035.164	N	1993	1.60	1.50	57	1.54									
						1994	1.60	1.50	57	1.54	0.43								
						1995	1.60	1.50	57	1.54	0.43								
						1996	2.90	1.50	43	2.07	0.31								
						1997	2.60	1.50	43	1.95	0.26								
						*1998	1.40	5.00	43	3.51	0.31								
						*1999	2.70	5.00	34	4.05	0.10	PLANT MIX OVERLAY					1999		
						2000	3.40	5.00	36	4.33	0.07								
						2001	3.40	5.00	52	4.33	0.05								
						2002	3.60	5.00	52	4.42	0.06								
						2	S.H.-11	001930	035.164	042.540	N	1993	1.50	1.50	56	1.50			
												1994	1.40	1.50	56	1.46	0.36		
1995	1.40	1.50	56	1.46	0.36														
1996	2.70	1.50	37	1.95	0.26														
1997	2.60	1.50	37	1.89	0.23														
*1998	2.40	1.50	37	1.82	0.26														
1999	2.60	1.50	62	1.89	0.24							SEALCOAT					1999		
2000	2.70	1.50	62	1.92	0.19														
2001	2.70	1.50	43	1.92	0.21														
2002	2.70	2.50	43	2.57	0.20														
2	U.S.-12	001890	000.000	000.186	N							1993	2.30	4.50	40	3.51			
												1994	2.30	3.50	40	2.95	0.59		
						1995	2.30	3.50	21	2.96	0.59								
						1996	1.20	3.50	12	2.46	0.10								
						1997	2.30	3.50	12	2.96	0.09								
						1998	2.70	3.50	07	3.14	0.08								
						1999	2.40	3.50	07	3.00	0.10								
						2000	2.40	3.50	07	3.00	0.11								
						2001	2.40	3.50	07	3.00	0.18								
						2002	2.60	3.50	43	3.09	0.18								
						2	U.S.-12	001890	000.186	000.280	N	1993	2.10	4.50	49	3.51			
												1994	2.10	4.50	49	3.47	0.34		
1995	2.10	4.50	49	3.50	0.34														
1996	2.20	4.50	67	3.56	0.09														
1997	1.80	4.50	67	3.39	0.11														
1998	1.30	4.50	42	3.19	0.07														
1999	1.40	4.50	42	3.18	0.14														
2000	1.40	4.50	42	3.23	0.17														
2001	1.30	4.50	41	3.19	0.11														
2002	1.40	4.50	41	3.23	0.37														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
2	U.S.-12	001890	000.280	000.505	N	1993	2.80	4.00	43	3.49							
						1994	2.80	4.00	43	3.49	0.40						
						1995	3.50	4.00	45	3.78	0.00	PLANT MIX SEAL					1995
						1996	2.70	4.00	38	3.45	0.11						
						1997	2.20	4.00	38	3.24	0.14						
						1998	2.20	4.00	42	3.24	0.14						
						1999	2.10	4.00	50	3.19	0.14						
						2000	2.50	4.00	50	3.36	0.11						
						2001	2.10	4.00	43	3.19	0.16						
						2002	2.30	4.00	43	3.28	0.13						
2	U.S.-12	001890	000.505	002.185	N	1993	2.20	3.50	43	2.90							
						1994	2.20	3.50	43	2.90	0.31	NEW CONST OR RECONST (FLEX)				1994	
						1995	3.50	3.50	43	3.50	0.00	PLANT MIX SEAL				1995	
						1996	3.80	3.50	43	3.63	0.11						
						1997	3.30	3.50	43	3.40	0.13						
						1998	3.30	3.50	40	3.40	0.17						
						1999	3.10	3.50	46	3.31	0.20						
						2000	3.10	3.50	46	3.31	0.26						
						2001	2.90	3.50	42	3.22	0.31						
						2002	2.90	3.50	42	3.22	0.41						
2	U.S.-12	001900	001.491	001.768	N	1993	0.90	2.00	44	1.52							
						1994	0.90	5.00	44	3.22	0.32						
						1995	0.90	5.00	55	3.22	0.32						
						1996	3.20	5.00	47	4.22	0.12						
						1997	2.60	5.00	47	3.96	0.16						
						1998	2.50	5.00	44	3.92	0.18						
						1999	1.90	5.00	51	3.66	0.21						
						2000	2.30	5.00	51	3.82	0.23						
						2001	1.90	4.50	23	3.37	0.32						
						2002	2.30	4.50	23	3.54	0.23						
2	U.S.-12	001900	001.768	002.403	N	1993	1.40	1.50	39	1.45							
						1996	2.90	5.00	25	4.04	0.10						
						1997	2.70	5.00	25	3.95	0.11						
						1998	2.60	5.00	25	3.91	0.13						
						1999	2.50	5.00	27	3.86	0.13						
						2000	2.60	5.00	27	3.90	0.16						
						2001	2.60	5.00	26	3.90	0.17						
						2002	2.50	5.00	26	3.85	0.22						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
2	U.S.-12	001900	002.403	002.831	N	1993	1.90	1.00	46	1.39								
							2000	3.10	4.50	35	3.82	0.20						
							2001	3.10	4.50	27	3.82	0.21						
							2002	3.10	4.50	27	3.82	0.26						
2	U.S.-12	001900	002.831	003.140	N	1993	3.10	3.50	51	3.31								
							1994	3.10	3.50	51	3.32	0.55						
							1995	3.10	3.50	31	3.32	0.55						
							1996	4.10	3.50	26	3.76	0.19						
							1997	3.90	3.50	26	3.67	0.19						
							1998	4.00	3.50	26	3.72	0.31						
							2001	3.80	3.50	27	3.63	0.32						
							2002	3.50	3.50	27	3.50	0.55						
						2	U.S.-12	001901	002.831	003.290	N	1993	3.10	2.00	51	2.51		
													1994	3.10	2.00	51	2.49	0.09
	1995	3.10	2.00	25	2.49							0.09						
	1996	4.10	5.00	28	4.59							0.14						
	1997	4.10	5.00	28	4.59							0.11						
	1998	4.00	5.00	28	4.55							0.14						
	1999	4.00	5.00	29	4.55							0.19						
	2000	4.10	5.00	29	4.59							0.21						
	2001	4.00	5.00	29	4.55							0.26						
	2002	3.60	5.00	29	4.37							0.38						
2	U.S.-12	001902	000.186	000.275	N	1993	2.70	4.00	47	3.43								
							1994	2.70	4.00	47	3.43	0.25						
							1995	2.70	4.00	47	3.44	0.25						
							1996	2.40	4.00	67	3.30	0.15						
							1997	2.20	4.00	67	3.22	0.10						
							1998	1.90	4.00	37	3.09	0.18						
							1999	1.80	4.00	37	3.05	0.16						
							2000	2.00	4.00	37	3.13	0.21						
							2001	1.60	4.00	37	2.96	0.21						
							2002	1.50	4.00	43	2.92	0.21						
2	U.S.-12	001902	000.275	000.381	N	1993	0.10	4.00	37	2.33								
							1994	0.10	4.00	37	2.36	0.44						
							1995	0.10	4.00	21	2.36	0.44						
							1996	1.40	4.00	12	2.90	0.13						
							1997	1.20	4.00	12	2.82	0.11						
							1998	1.00	4.00	07	2.73	0.14						
							1999	0.90	4.00	07	2.69	0.13						
							2000	1.00	4.00	07	2.73	0.14						
							2001	1.00	4.00	07	2.73	0.13						
							2002	0.80	3.50	43	2.36	0.15						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-12	001910	010.130	011.107	N	1993	3.00	3.50	54	3.25									
						1994	2.90	3.50	54	3.21	0.17								
						1995	2.90	3.50	30	3.21	0.17								
						1996	3.40	3.50	32	3.45	0.23								
						1997	3.10	3.30	32	3.20	0.26								
						1998	3.20	3.30	36	3.25	0.23								
						1999	3.10	3.30	42	3.20	0.10	RUT FILLING				1999			
						2000	3.20	3.30	42	3.25	0.15								
						2001	3.20	3.30	31	3.25	0.16								
						2002	3.20	3.30	31	3.25	0.23								
						2	U.S.-12	001910	011.107	015.541	N	1993	3.20	2.50	53	2.83			
												1994	3.10	2.50	53	2.78	0.25		
1995	3.10	2.50	34	2.78	0.25														
1996	3.70	2.50	38	3.07	0.30														
1997	3.40	2.50	38	2.93	0.31							SEALCOAT				1997			
1998	3.30	2.50	40	2.88	0.33														
1999	3.30	2.50	43	2.88	0.11							RUT FILLING				1999			
2000	3.40	2.50	43	2.93	0.13														
2001	3.40	2.50	28	2.93	0.19														
2002	3.40	2.50	28	2.93	0.22														
2	U.S.-12	001910	015.541	019.060	N							1993	2.60	4.00	49	3.33			
												1994	2.60	4.00	49	3.32	0.35		
						1995	2.60	3.70	35	3.17	0.35								
						1996	3.50	3.70	39	3.60	0.19								
						1997	2.70	3.70	39	3.22	0.21	SEALCOAT				1997			
						1998	3.10	3.70	50	3.41	0.22								
						1999	3.10	3.70	47	3.41	0.23								
						2000	3.20	3.50	47	3.35	0.23								
						2001	3.20	3.50	38	3.35	0.23								
						2002	3.10	3.50	38	3.30	0.24								
						2	U.S.-12	001910	019.060	019.360	N	1993	2.90	3.50	49	3.21			
												1994	2.50	3.50	49	3.02	0.54		
1995	2.50	3.50	35	3.02	0.54														
1996	2.10	3.50	39	2.83	0.16														
1997	3.30	3.50	39	3.40	0.13							SEALCOAT				1997			
1998	2.90	3.50	50	3.21	0.13														
1999	3.10	3.50	47	3.30	0.10														
2000	2.80	3.50	47	3.16	0.11														
2001	3.00	3.50	38	3.26	0.12														
2002	3.20	3.50	38	3.35	0.12														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	U.S.-12	001910	019.360	020.200	N	1993	2.90	3.50	52	3.21			
						1994	2.80	3.50	52	3.16	0.27		
						1995	2.80	3.50	40	3.16	0.27		
						1996	3.80	3.50	41	3.64	0.24		
						1997	3.40	3.50	41	3.45	0.23	SEALCOAT	1997
						1998	3.40	3.50	53	3.45	0.23		
						1999	3.20	3.50	55	3.35	0.21		
						2000	3.50	3.50	55	3.50	0.22		
						2001	3.40	3.50	39	3.45	0.20		
						2002	3.40	3.50	39	3.45	0.25		
2	U.S.-12	001910	020.200	021.140	N	1993	3.20	3.50	56	3.35			
						1994	3.20	3.50	56	3.35	0.15		
						1995	3.20	3.50	37	3.35	0.15		
						1996	3.60	3.50	42	3.54	0.24		
						1997	3.50	3.50	42	3.50	0.31	SEALCOAT	1997
						1998	3.40	3.50	58	3.45	0.32		
						1999	3.30	3.50	56	3.40	0.24		
						2000	3.50	3.50	56	3.50	0.35		
						2001	3.50	3.50	45	3.50	0.36		
						2002	3.20	3.50	45	3.35	0.39		
2	U.S.-12	001910	021.140	023.440	N	1993	3.00	4.00	52	3.52			
						1994	2.90	4.00	52	3.47	0.22		
						1995	2.90	4.00	37	3.47	0.22		
						1996	3.80	4.00	41	3.90	0.19		
						1997	3.40	4.00	41	3.71	0.20	SEALCOAT	1997
						1998	3.40	4.00	52	3.71	0.22		
						1999	3.40	4.00	52	3.71	0.25		
						2000	3.40	3.80	52	3.60	0.23		
						2001	3.40	3.80	40	3.60	0.22		
						2002	3.40	3.80	40	3.60	0.28		
2	U.S.-12	001910	023.440	023.940	N	1993	2.40	4.50	58	3.49			
						1994	2.50	4.50	58	3.54	0.23		
						1995	2.50	4.50	40	3.54	0.23		
						1996	3.60	4.50	46	4.06	0.16		
						1997	3.20	4.50	46	3.87	0.25	SEALCOAT	1997
						1998	3.20	4.50	61	3.87	0.22		
						1999	3.10	4.50	58	3.82	0.28		
						2000	3.20	4.00	58	3.61	0.29		
						2001	3.30	4.00	46	3.66	0.25		
						2002	3.30	4.00	46	3.66	0.33		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	U.S.-12	001910	023.940	026.938	N	1993	2.80	3.50	54	3.16			
						1994	2.80	3.50	54	3.16	0.19		
						1995	2.80	3.30	40	3.06	0.19		
						1996	3.80	3.30	43	3.53	0.15		
						1997	3.30	3.30	43	3.30	0.17	SEALCOAT	1997
						1998	3.40	3.30	52	3.34	0.19		
						1999	3.40	3.30	53	3.34	0.19		
						2000	3.40	3.20	53	3.29	0.20		
						2001	3.40	3.20	39	3.29	0.20		
						2002	3.40	3.20	39	3.29	0.25		
2	U.S.-12	001910	026.938	028.805	N	1993	2.80	2.50	55	2.64			
						1994	2.60	2.50	55	2.54	0.42	SEALCOAT	1994
						1995	2.60	2.50	55	2.54	0.42		
						1996	3.30	2.50	44	2.88	0.22		
						1997	3.10	5.00	44	4.09	0.06	SEALCOAT	1997
						1998	3.10	5.00	52	4.09	0.12		
						1999	3.00	5.00	40	4.04	0.20		
						2000	3.10	4.50	40	3.83	0.20		
						2001	3.10	4.50	27	3.82	0.22		
						2002	3.20	4.50	27	3.87	0.27		
2	U.S.-12	001910	028.805	033.830	N	1993	2.30	2.50	52	2.40			
						1994	2.20	2.50	52	2.35	0.22	SEALCOAT	1994
						1995	2.20	2.50	52	2.35	0.22		
						1996	3.30	2.50	48	2.88	0.15		
						1997	3.60	5.00	48	4.33	0.04	PLANT MIX OVERLAY	1997
						1998	3.40	5.00	47	4.23	0.09		
						1999	3.40	5.00	40	4.23	0.15		
						2000	3.40	4.50	40	3.97	0.15		
						2001	3.30	4.50	29	3.92	0.16		
						2002	3.40	4.50	29	3.97	0.21		
2	U.S.-12	001910	033.830	034.700	N	1993	2.70	4.50	52	3.63			
						1994	2.60	4.50	52	3.59	0.21	SEALCOAT	1994
						1995	2.60	4.50	52	3.59	0.21		
						1996	3.60	4.50	45	4.06	0.13		
						1997	3.80	5.00	45	4.42	0.05		
						1998	3.80	5.00	23	4.42	0.14		
						1999	3.80	5.00	31	4.42	0.20		
						2000	3.70	4.50	31	4.11	0.16		
						2001	3.80	4.50	17	4.16	0.17		
						2002	3.60	4.50	17	4.06	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-12	001910	034.700	034.959	N	1993	1.50	4.50	45	3.06									
						1994	1.70	4.50	45	3.16	0.21	SEALCOAT	1994						
						1995	1.70	4.50	45	3.16	0.21	SEALCOAT	1995						
						1996	2.50	4.20	38	3.38	0.07								
						1997	1.90	4.20	38	3.09	0.08								
						1998	1.90	4.20	38	3.09	0.07								
						1999	1.80	4.20	38	3.05	0.11								
						2000	2.60	4.20	31	3.43	0.09								
						2001	2.60	4.20	17	3.43	0.10								
						2002	3.00	4.20	17	3.62	0.04								
						2	U.S.-12	001910	035.004	038.133	N	1993	2.50	3.50	51	3.02			
												1994	2.40	3.50	51	2.97	0.16		
1995	2.40	3.50	51	2.97	0.16							SEALCOAT	1995						
1996	3.40	3.50	44	3.45	0.10														
1997	3.20	3.50	44	3.35	0.10														
1998	3.10	3.50	37	3.30	0.10														
1999	3.00	3.50	45	3.26	0.15														
2000	3.00	3.30	45	3.15	0.11														
2001	3.00	3.30	31	3.15	0.14														
2002	3.20	3.30	31	3.25	0.16							SEALCOAT	2002						
2	U.S.-12	001910	038.133	039.730	N							1993	2.80	3.50	50	3.16			
												1994	2.70	3.50	50	3.11	0.24		
						1995	2.70	3.50	50	3.11	0.24	SEALCOAT	1995						
						1996	3.80	3.50	50	3.64	0.20								
						1997	3.40	3.50	50	3.45	0.18								
						1998	3.30	3.50	38	3.40	0.22								
						1999	3.30	3.50	46	3.40	0.24								
						2000	3.40	3.00	46	3.19	0.23								
						2001	3.40	3.00	34	3.19	0.25								
						2002	3.30	3.00	34	3.14	0.23	SEALCOAT	2002						
						2	U.S.-12	001910	039.730	040.663	N	1993	3.10	3.00	42	3.04			
												1994	2.80	3.00	42	2.90	0.12		
1995	2.80	3.00	42	2.90	0.12							SEALCOAT	1995						
1996	3.80	3.00	43	3.38	0.18														
1997	3.50	3.00	43	3.23	0.09														
1998	3.40	3.00	36	3.19	0.12														
1999	3.30	3.00	42	3.14	0.09														
2000	3.40	3.00	42	3.19	0.10														
2001	3.30	3.00	32	3.14	0.12														
2002	3.40	3.00	32	3.19	0.20							SEALCOAT	2002						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
2	U.S.-12	001910	040.663	042.500	N	1993	3.20	2.80	42	2.99			
						1994	3.30	2.80	42	3.04	0.37	SEALCOAT	1995
						1995	3.30	2.80	42	3.04	0.37		
						1996	3.80	2.80	45	3.28	0.29		
						1997	3.50	2.80	45	3.13	0.24		
						1998	3.40	2.80	32	3.08	0.21		
						1999	3.40	2.80	38	3.08	0.30		
						2000	3.50	2.70	38	3.08	0.26		
						2001	3.40	2.70	33	3.03	0.35		
						2002	3.50	2.70	33	3.08	0.26	SEALCOAT	2002
2	U.S.-12	001910	042.500	043.225	N	1993	3.00	2.50	48	2.74			
						1994	3.00	2.40	48	2.68	0.14	SEALCOAT	1995
						1995	3.00	2.40	48	2.68	0.14		
						1996	3.70	2.40	47	3.02	0.10		
						1997	3.40	2.40	47	2.88	0.11		
						1998	3.30	2.40	28	2.83	0.09		
						1999	3.20	2.40	36	2.78	0.11		
						2000	3.20	2.20	36	2.68	0.12		
						2001	3.30	2.20	32	2.73	0.12		
						2002	3.20	2.20	32	2.68	0.13	SEALCOAT	2002
2	U.S.-12	001910	043.225	043.963	N	1993	3.00	2.40	51	2.69			
						1994	3.10	2.40	51	2.73	0.17	SEALCOAT	1995
						1995	3.10	2.40	51	2.73	0.17		
						1996	3.80	2.40	44	3.07	0.14		
						1997	3.50	2.40	44	2.93	0.14		
						1998	3.40	2.40	27	2.88	0.16		
						1999	3.30	2.40	38	2.83	0.14		
						2000	3.50	2.20	38	2.82	0.19		
						2001	3.60	2.20	36	2.87	0.18		
						2002	3.20	2.20	36	2.68	0.22	SEALCOAT	2002
2	U.S.-12	001910	043.963	049.826	N	1993	2.80	3.50	52	3.16			
						1994	2.90	3.50	52	3.21	0.18	SEALCOAT	1995
						1995	2.90	3.50	52	3.21	0.18		
						1996	3.70	3.50	38	3.59	0.14	SEALCOAT	1996
						1997	3.50	3.50	38	3.50	0.13		
						1998	3.40	3.50	38	3.45	0.13		
						1999	3.40	3.50	43	3.45	0.15		
						2000	3.40	3.50	43	3.45	0.14		
						2001	3.40	3.50	35	3.45	0.16		
						2002	3.50	3.50	35	3.50	0.16	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
2	U.S.-12	001910	049.826	050.600	N	1993	2.60	4.00	56	3.33								
						1994	2.60	4.00	56	3.33	0.25							
						1995	2.60	4.00	56	3.33	0.25							
						1996	3.60	4.00	41	3.80	0.22	SEALCOAT	1996					
						1997	3.50	4.00	41	3.76	0.20							
						1998	3.40	4.00	51	3.71	0.15							
						1999	3.40	4.00	46	3.71	0.20							
						2000	3.50	4.00	46	3.76	0.18							
						2001	3.40	4.00	35	3.71	0.17							
						2002	3.50	4.00	35	3.76	0.18							
						2	U.S.-12	001910	050.600	051.568	N	1993	2.50	4.50	53	3.54		
												1994	2.30	4.50	53	3.45	0.21	
1995	2.30	4.50	53	3.44	0.21													
1996	3.50	4.50	46	4.02	0.16							SEALCOAT	1996					
1997	3.30	4.50	46	3.92	0.15													
1998	3.20	4.50	46	3.87	0.13													
1999	3.20	4.50	47	3.87	0.17													
2000	3.30	4.50	47	3.92	0.14													
2001	3.20	4.50	33	3.87	0.21													
2002	3.30	4.50	33	3.92	0.15													
2	U.S.-12	001910	051.568	060.942	N							1993	2.50	3.00	56	2.76		
												1994	2.40	3.00	56	2.71	0.24	
						1995	2.40	3.00	56	2.71	0.24							
						1996	3.40	3.00	48	3.19	0.15							
						1997	3.10	2.90	48	2.99	0.15							
						1998	3.00	2.90	46	2.94	0.14							
						1999	3.10	2.90	45	2.99	0.17							
						2000	3.10	2.90	45	2.99	0.16							
						2001	3.10	2.90	39	2.99	0.18							
						2002	3.20	2.90	39	3.04	0.18							
						2	U.S.-12	001910	060.942	065.871	N	1993	2.60	3.00	53	2.81		
												1994	2.40	3.00	53	2.71	0.18	
1995	2.40	3.00	53	2.71	0.18													
1996	3.40	3.00	44	3.19	0.18							SEALCOAT	1996					
1997	3.10	3.00	44	3.04	0.15													
1998	3.10	3.00	45	3.04	0.13													
1999	3.10	3.00	46	3.04	0.15													
2000	3.20	3.00	46	3.09	0.14													
2001	3.20	3.00	32	3.09	0.17													
2002	3.20	3.00	32	3.09	0.18													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-12	001910	065.871	066.220	N	1993	1.80	3.50	36	2.73									
						1994	1.90	3.50	36	2.77	0.45								
						1995	1.90	3.50	36	2.78	0.45								
						1996	3.20	3.50	33	3.36	0.39	SEALCOAT					1996		
						1997	2.50	3.40	33	2.99	0.36								
						1998	2.80	3.40	36	3.12	0.27								
						1999	2.80	3.40	37	3.13	0.34								
						2000	3.00	3.40	37	3.21	0.36								
						2001	3.10	3.40	42	3.26	0.31								
						2002	3.10	3.40	42	3.26	0.34								
						2	U.S.-12	001910	066.220	066.615	N	1993	2.60	4.00	37	3.36			
												1994	2.70	4.00	37	3.41	0.32		
1995	2.70	3.50	37	3.13	0.32														
1996	3.50	3.50	31	3.50	0.16							SEALCOAT					1996		
1997	3.40	3.40	31	3.40	0.10														
1998	3.00	3.40	31	3.21	0.17														
1999	3.00	3.40	35	3.21	0.23														
2000	3.10	3.40	35	3.26	0.19														
2001	3.20	3.40	28	3.30	0.29														
2002	3.20	3.40	28	3.30	0.21														
2	U.S.-12	001910	066.615	066.789	N							1993	2.40	4.00	39	3.27			
												1994	1.30	4.00	39	2.77	0.51		
						1995	1.30	3.50	39	2.50	0.51								
						1996	1.80	3.50	36	2.73	0.35	SEALCOAT					1996		
						1997	1.40	3.40	36	2.49	0.38								
						1998	2.30	3.40	36	2.90	0.06								
						1999	2.40	3.40	36	2.94	0.08								
						2000	2.30	3.40	35	2.90	0.10								
						2001	2.60	3.40	28	3.03	0.14								
						2002	2.50	3.40	28	2.99	0.19								
						2	U.S.-12	001910	066.789	066.946	N	1993	2.40	2.00	48	2.19			
												1994	2.40	2.00	48	2.19	0.32		
1995	2.40	2.00	48	2.19	0.32														
1996	3.20	2.00	37	2.57	0.19							SEALCOAT					1996		
*1997	3.00	2.00	37	2.47	0.20														
1998	2.50	2.00	36	2.22	0.04														
1999	2.60	5.00	36	3.91	0.08														
2000	2.50	5.00	35	3.86	0.07														
2001	2.30	5.00	28	3.77	0.09														
2002	2.30	5.00	28	3.77	0.04														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
2	U.S.-12	001910	066.975	070.100	N	2002	2.90	2.00	28	2.43	0.22		
2	U.S.-12	001910	066.975	073.472	N	1993	2.40	2.00	48	2.19			
						1994	2.40	2.00	48	2.19	0.32		
						1995	2.40	2.00	48	2.19	0.32		
						1996	3.20	2.00	37	2.57	0.19	SEALCOAT	
						*1997	3.00	2.00	37	2.47	0.20	1996	
						1998	3.00	2.00	37	2.47	0.18		
						1999	2.90	2.00	33	2.43	0.21		
						2000	2.90	2.00	33	2.43	0.21		
						*2001	3.00	2.00	29	2.47	0.21		
2	U.S.-12	001910	070.100	073.472	N	2002	3.70	5.00	30	4.37	0.07	PLANT MIX OVERLAY	2002
2	U.S.-12	001910	073.472	081.673	N	1993	2.70	3.00	52	2.85			
						1994	2.50	3.00	52	2.76	0.35		
						1995	2.50	3.00	52	2.76	0.35		
						1996	3.40	3.00	48	3.19	0.19	SEALCOAT	
						*1997	3.20	3.00	48	3.09	0.19	1996	
						1998	3.10	3.00	48	3.04	0.17		
						1999	3.00	2.00	47	2.47	0.18		
						2000	3.10	2.00	47	2.52	0.21		
						2001	3.10	2.00	38	2.51	0.20		
						2002	3.90	5.00	38	4.48	0.05	PLANT MIX OVERLAY	
2	U.S.-12	001910	081.673	087.605	N	1993	2.80	4.00	52	3.42			
						1994	2.60	4.00	52	3.33	0.31	SEALCOAT	
						1995	2.60	4.00	52	3.33	0.31	1994	
						1996	3.60	4.00	51	3.80	0.17		
						1997	3.40	3.90	51	3.66	0.17		
						1998	3.30	3.90	51	3.61	0.14		
						1999	3.30	3.90	52	3.61	0.16		
						2000	3.30	3.50	52	3.40	0.15		
						2001	3.20	3.50	58	3.35	0.16		
						2002	3.20	3.50	58	3.35	0.14		
2	U.S.-12	001910	087.605	090.040	N	1993	2.40	3.50	55	2.97			
						1994	2.10	3.50	55	2.83	0.25	SEALCOAT	
						1995	2.10	3.50	55	2.83	0.25	1994	
						1996	3.30	3.50	50	3.40	0.14		
						1997	2.90	3.50	50	3.21	0.15		
						1998	2.80	3.50	50	3.16	0.10		
						1999	2.80	3.50	50	3.16	0.16		
						2000	2.80	3.50	50	3.16	0.11		
						2001	2.80	3.50	58	3.17	0.13		
						2002	3.00	3.50	58	3.26	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
2	U.S.-12	001910	090.066	096.870	N	1993	2.40	2.90	58	2.66			
						1994	2.30	2.90	58	2.61	0.37	SEALCOAT	1994
						1995	2.30	2.90	58	2.61	0.37		
						1996	3.20	2.90	46	3.04	0.16		
						1997	2.80	2.90	46	2.85	0.18		
						1998	2.80	2.90	46	2.85	0.16		
						1999	2.70	2.90	48	2.80	0.23		
						2000	2.80	2.50	48	2.64	0.20		
						2001	2.80	2.50	44	2.64	0.20		
						2002	2.90	2.50	44	2.68	0.18		
2	U.S.-12	001910	096.870	103.932	N	1993	2.30	2.70	57	2.51			
						1994	2.20	2.70	57	2.46	0.38	SEALCOAT	1994
						1995	2.20	2.70	57	2.46	0.38		
						1996	3.10	2.60	49	2.83	0.13		
						1997	2.80	2.60	49	2.69	0.14		
						1998	2.70	2.60	49	2.64	0.12		
						1999	2.70	2.60	42	2.64	0.13		
						2000	2.80	2.40	42	2.58	0.14		
						2001	2.70	2.40	42	2.54	0.14		
						2002	2.80	2.40	42	2.58	0.12		
2	U.S.-12	001910	103.932	111.433	N	1993	2.10	2.70	57	2.41			
						1994	2.20	2.70	57	2.46	0.37	SEALCOAT	1994
						1995	2.20	2.70	57	2.46	0.37		
						1996	3.10	2.70	46	2.88	0.13		
						1997	2.80	2.60	46	2.69	0.13		
						1998	2.90	2.60	46	2.74	0.12	SEALCOAT	1998
						1999	2.80	2.60	45	2.69	0.13		
						2000	2.90	2.60	45	2.74	0.13		
						2001	2.80	2.60	36	2.69	0.14		
						2002	2.90	2.60	36	2.74	0.13		
2	U.S.-12	001910	111.433	117.610	N	1993	2.50	3.00	55	2.76			
						1994	2.50	3.00	55	2.76	0.27		
						1995	2.50	3.00	55	2.76	0.27		
						1996	3.30	3.00	34	3.14	0.15		
						1997	3.10	2.90	34	2.99	0.13		
						1998	3.00	2.90	34	2.94	0.15	SEALCOAT	1998
						1999	3.00	2.90	45	2.94	0.16		
						2000	3.60	2.90	45	3.23	0.09		
						2001	3.60	2.90	39	3.23	0.10		
						2002	3.50	2.90	39	3.18	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
2	U.S.-12	001910	117.610	121.307	N	2002	3.80	2.40	38	3.06	0.05		
2	U.S.-12	001910	117.610	122.657	N	1993	2.40	2.50	53	2.45			
						1994	2.40	2.50	53	2.45	0.49		
						1995	2.40	2.50	53	2.45	0.49		
						1996	3.30	2.50	40	2.87	0.17		
						1997	3.00	2.50	40	2.73	0.15		
						1998	3.00	2.50	40	2.73	0.15	SEALCOAT	
						1999	2.90	2.50	42	2.68	0.17		
						2000	3.60	2.40	42	2.96	0.08		
						*2001	3.60	2.40	35	2.96	0.08		
2	U.S.-12	001910	121.307	128.230	N	2002	3.40	5.00	31	4.24	0.07	PLANT MIX OVERLAY	2002
2	U.S.-12	001910	122.657	128.230	N	1993	2.70	2.90	50	2.80			
						*1994	2.70	2.90	50	2.80	0.57		
						1995	2.70	2.90	50	2.80	0.56		
						1996	3.40	2.90	35	3.13	0.16		
						1997	3.20	2.80	35	2.98	0.14		
						1998	3.10	2.80	35	2.94	0.13	SEALCOAT	
						1999	3.10	2.80	48	2.94	0.14		
						2000	3.20	2.40	48	2.77	0.15		
						*2001	3.10	2.40	32	2.73	0.15		
2	U.S.-12	001910	128.230	136.346	N	1993	2.40	5.00	59	3.77			
						*1994	3.00	5.00	59	4.05	0.53	PLANT MIX OVERLAY	1994
						1995	3.50	5.00	59	4.29	0.00	PLANT MIX OVERLAY	1995
						1996	3.40	5.00	60	4.24	0.13		
						1997	3.10	4.00	60	3.57	0.13		
						1998	3.00	4.00	60	3.52	0.12		
						1999	2.90	4.00	63	3.48	0.14		
						2000	3.00	3.50	63	3.26	0.15		
						2001	3.00	3.50	52	3.26	0.16		
						2002	3.10	3.50	52	3.31	0.19	SEALCOAT	2002
2	U.S.-12	001910	136.346	144.745	N	1993	2.60	5.00	59	3.86			
						1994	3.00	5.00	59	4.05	0.44	PLANT MIX OVERLAY	1994
						1995	3.50	4.90	59	4.23	0.00	PLANT MIX OVERLAY	1995
						1996	3.50	4.90	56	4.23	0.12		
						1997	3.20	4.50	56	3.88	0.13		
						1998	3.20	4.50	56	3.88	0.13		
						1999	3.10	4.50	63	3.83	0.14		
						2000	3.20	3.50	63	3.35	0.14		
						2001	3.20	3.50	50	3.35	0.15		
						2002	3.10	3.50	50	3.31	0.18	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-12	001910	144.745	151.400	N	*1993	2.40	5.00	54	3.77									
						1994	3.00	5.00	54	4.05	0.40	PLANT MIX OVERLAY	1994						
						1995	3.50	4.90	54	4.23	0.00	PLANT MIX OVERLAY	1995						
						1996	3.30	4.90	56	4.14	0.12								
						1997	3.00	4.50	56	3.79	0.12								
						1998	2.90	4.50	56	3.74	0.12								
						1999	2.80	4.50	62	3.69	0.14								
						2000	3.00	3.00	62	3.00	0.14								
						2001	2.90	3.00	47	2.95	0.15								
						2002	3.00	3.00	47	3.00	0.18	SEALCOAT	2002						
						2	U.S.-12	001910	151.400	155.775	N	*1993	2.50	2.30	60	2.39			
												1994	2.70	2.30	61	2.48	0.44	SEALCOAT	1994
1995	2.70	2.10	61	2.38	0.44														
1996	3.20	2.10	48	2.61	0.12														
1997	2.90	2.10	48	2.47	0.12														
1998	2.90	2.10	48	2.47	0.16														
1999	2.80	2.10	47	2.43	0.16														
2000	3.00	2.00	47	2.47	0.16														
2001	3.60	5.00	37	4.33	0.13							C.R.A.B.S.	2001						
2002	3.30	5.00	37	4.19	0.16														
2	U.S.-12	001910	155.775	161.780	N							1993	2.70	2.40	57	2.54			
												1994	2.70	2.40	57	2.54	0.34	SEALCOAT	1994
						1995	2.70	2.20	57	2.43	0.34								
						1996	3.30	2.20	51	2.71	0.10								
						1997	3.10	2.20	51	2.62	0.11								
						1998	3.10	2.20	51	2.62	0.13								
						1999	3.00	2.20	50	2.57	0.14								
						2000	3.10	2.00	50	2.51	0.14								
						2001	3.60	5.00	33	4.33	0.16	C.R.A.B.S.	2001						
						2002	3.30	5.00	33	4.19	0.17								
						2	U.S.-12	001910	161.780	167.927	N	1993	3.00	2.90	58	2.94			
												1994	2.60	2.90	58	2.75	0.47	SEALCOAT	1994
1995	2.60	2.80	58	2.70	0.47														
1996	3.50	2.80	46	3.13	0.11														
1997	3.30	2.60	46	2.93	0.12														
1998	3.20	2.60	46	2.88	0.12														
1999	3.20	2.60	48	2.88	0.13														
2000	3.30	2.60	48	2.93	0.13														
*2001	3.60	5.00	32	4.33	0.20							C.R.A.B.S.	2001						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
2	U.S.-12	001910	161.780	169.740	N	2002	3.30	5.00	32	4.19	0.21		
2	U.S.-12	001910	167.927	174.415	N	1993	2.70	2.30	59	2.48			
						1994	2.40	2.30	59	2.34	0.43	SEALCOAT	
						1995	2.60	2.30	59	2.44	0.35		
						1996	3.40	2.30	42	2.81	0.10		
						1997	3.10	2.30	42	2.68	0.10		
						1998	3.10	2.30	42	2.67	0.11		
						1999	3.10	2.30	50	2.67	0.11		
						2000	3.10	2.30	50	2.67	0.11		
						*2001	3.60	5.00	42	4.33	0.16	C.R.A.B.S.	
2	U.S.-12	001910	169.740	172.210	N	2002	3.40	5.00	44	4.24	0.08	PLANT MIX OVERLAY	
2	U.S.-12	001910	172.210	174.415	N	2002	3.30	5.00	45	4.19	0.18		
2	S.H.-13	001960	000.000	000.323	N	1993	1.30	2.80	61	2.16			
						1994	1.30	2.80	61	2.16	0.25		
						1995	1.30	2.80	61	2.16	0.25		
						1996	2.30	2.50	28	2.41	0.21		
						1997	2.10	5.00	28	3.76	0.13		
						1998	2.50	4.00	39	3.36	0.13		
						1999	0.90	5.00	39	3.26	0.26	MILL AND INLAY	
						2000	2.50	5.00	39	3.94	0.24		
						2001	2.40	5.00	39	3.89	0.27		
						2002	2.30	5.00	45	3.85	0.30	SEALCOAT	
2	S.H.-13	001960	000.323	000.778	N	1993	1.60	2.60	57	2.17			
						1994	1.60	2.60	57	2.17	0.25		
						1995	1.60	2.60	57	2.17	0.25		
						1996	2.30	2.50	35	2.41	0.44		
						1997	3.30	5.00	35	4.28	0.13		
						1998	3.10	3.50	36	3.33	0.24		
						1999	0.40	5.00	36	3.05	0.35	MILL AND INLAY	
						2000	2.50	5.00	36	3.94	0.22		
						2001	2.60	5.00	38	3.98	0.21		
						2002	2.40	5.00	38	3.90	0.34	SEALCOAT	
2	S.H.-13	001960	000.778	001.120	N	1993	2.10	2.80	47	2.51			
						1994	2.10	2.80	47	2.51	0.05		
						1995	2.10	2.80	47	2.50	0.05		
						1996	2.40	2.70	31	2.57	0.21		
						1997	3.00	5.00	31	4.17	0.13		
						1998	2.90	3.50	42	3.25	0.13		
						1999	2.20	5.00	42	3.83	0.21	MILL AND INLAY	
						2000	2.70	5.00	42	4.04	0.14		
						2001	2.70	5.00	42	4.04	0.14		
						2002	2.50	5.00	38	3.96	0.18	SEALCOAT	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
2	S.H.-13	001960	001.120	006.605	N	1993	1.70	1.30	59	1.46			
						1994	2.40	1.30	59	1.75	0.42	PLANT MIX OVERLAY	1994
						1995	2.40	1.30	59	1.75	0.42		
						1996	2.50	1.30	53	1.79	0.21		
						1997	2.40	1.30	53	1.75	0.16		
						1998	2.30	1.30	44	1.71	0.20		
						1999	2.50	1.30	51	1.79	0.18		
						2000	2.60	1.20	51	1.77	0.19		
						2001	2.60	1.20	39	1.77	0.21		
						2002	2.70	2.60	39	2.64	0.22	SEALCOAT	2002
2	S.H.-13	001960	006.605	011.249	N	1993	1.40	1.20	50	1.28			
						1994	3.00	5.00	50	4.10	0.43	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	50	4.10	0.43		
						1996	3.60	5.00	37	4.37	0.11		
						1997	3.20	4.50	37	3.92	0.08		
						1998	3.20	4.50	41	3.92	0.12		
						1999	3.10	4.50	48	3.87	0.12	SEALCOAT	1999
						2000	3.10	4.00	48	3.59	0.12		
						2001	3.10	3.70	41	3.43	0.12		
						2002	3.10	3.70	41	3.43	0.14		
2	S.H.-13	001960	011.249	015.102	N	1993	1.70	1.90	54	1.81			
						1994	1.70	1.90	54	1.81	0.33		
						1995	1.70	1.90	54	1.81	0.33	SEALCOAT	1995
						1996	3.30	1.90	22	2.52	0.11		
						1997	3.00	1.80	22	2.33	0.11		
						1998	3.00	1.80	36	2.33	0.12	SEALCOAT	1998
						1999	3.00	1.80	36	2.33	0.12	SEALCOAT	1999
						2000	3.00	1.80	36	2.33	0.11		
						2001	3.00	1.80	38	2.33	0.11		
						2002	2.90	1.80	38	2.29	0.12		
2	S.H.-13	001960	015.102	022.096	N	1993	2.10	1.50	52	1.74			
						1994	2.10	1.40	52	1.68	0.30		
						1995	2.10	1.40	52	1.68	0.30		
						1996	3.20	1.40	25	2.14	0.10		
						1997	3.00	1.40	25	2.06	0.09		
						1998	2.90	1.40	41	2.02	0.10		
						1999	2.90	1.40	41	2.02	0.10	SEALCOAT	1999
						2000	2.90	1.40	41	2.02	0.11		
						2001	2.90	1.40	46	2.02	0.10		
						2002	2.70	1.40	46	1.93	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
2	S.H.-13	001960	022.096	022.473	N	1993	2.10	1.90	46	1.98							
						1994	2.10	1.80	46	1.92	0.24						
						1995	2.10	1.80	46	1.92	0.24						
						1996	2.90	1.80	28	2.25	0.13						
						1997	2.70	1.80	28	2.17	0.13						
						1998	2.60	1.50	44	1.95	0.15						
						1999	2.40	1.50	44	1.87	0.18	SEALCOAT					1999
						2000	2.40	1.50	44	1.87	0.20						
						2001	2.40	1.50	44	1.87	0.21						
						2002	2.40	1.50	46	1.87	0.23						
						2	S.H.-13	001960	022.473	025.406	N	1993	2.00	1.50	46	1.70	
1994	2.00	1.50	46	1.70	0.31												
1995	2.00	1.50	46	1.70	0.31							SEALCOAT				1995	
1996	3.20	1.50	17	2.20	0.15												
1997	3.00	1.50	17	2.12	0.14												
1998	2.90	1.50	33	2.08	0.15												
*1999	2.80	1.50	37	2.04	0.15							SEALCOAT				1999	
2000	2.80	1.50	37	2.04	0.17												
2001	2.80	1.50	37	2.04	0.18												
2002	2.80	1.50	37	2.04	0.19							SEALCOAT				2002	
2	S.H.-13	001960	025.406	025.493	N							1993	2.00	1.50	46	1.70	
						1994	2.00	1.50	46	1.70	0.31						
						1995	2.00	1.50	46	1.70	0.31						
						1996	3.20	1.50	17	2.20	0.15						
						1997	3.00	1.50	17	2.12	0.14						
						1998	2.90	1.50	33	2.08	0.15						
						*1999	2.80	1.50	37	2.04	0.15	SEALCOAT				1999	
						2000	2.80	5.00	37	4.08	0.17	PLANT MIX OVERLAY				2000	
						2001	2.80	5.00	37	4.08	0.18						
						2002	2.80	5.00	37	4.08	0.19	SEALCOAT				2002	
						2	S.H.-13	001960	025.493	025.512	N	1993	2.50	2.50	44	2.50	
1994	2.50	2.00	44	2.20	0.06												
1995	2.50	2.00	44	2.20	0.06												
1996	3.50	2.00	26	2.62	0.20												
1997	3.50	2.00	26	2.62	0.19												
1998	3.50	2.00	44	2.62	0.23												
*1999	3.50	3.50	42	3.50	0.21												
2000	4.00	3.50	42	3.70	0.15							NEW CONST OR RECONST (FLEX)				2000	
2001	2.30	3.50	34	2.99	0.17												
2002	2.40	5.00	34	3.91	0.20							SEALCOAT				2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	S.H.-13	001960	025.512	025.840	N	1993	2.50	2.50	44	2.50									
						1994	2.50	2.00	44	2.20	0.06								
						1995	2.50	2.00	44	2.20	0.06								
						1996	3.50	2.00	26	2.62	0.20								
						1997	3.50	2.00	26	2.62	0.19								
						1998	3.50	2.00	44	2.62	0.23								
						*1999	3.50	3.50	42	3.50	0.21								
						2000	3.50	5.00	43	4.37	0.08	NEW CONST OR RECONST (FLEX)				2000			
						2001	2.50	5.00	43	3.95	0.15								
						2002	2.30	5.00	34	3.86	0.17	SEALCOAT				2002			
						2	S.H.-13	001960	025.840	026.390	N	1993	1.00	2.50	00	1.87			
												1994	1.00	2.50	00	1.87	0.25		
1995	1.00	2.50	00	1.87	0.25							SEALCOAT			1995				
1996	2.50	2.50	19	2.50	0.14														
1997	2.00	2.50	19	2.29	0.12														
1998	2.00	4.50	32	3.45	0.17														
1999	1.90	4.50	24	3.41	0.19														
2000	2.80	4.50	24	3.79	0.13														
2001	2.20	4.50	26	3.54	0.17														
2002	2.50	4.50	26	3.66	0.15							SEALCOAT			2002				
2	S.H.-13	001961	000.030	000.824	N							*1993	1.50	2.00	40	1.81			
												1994	1.50	5.00	40	3.68	0.15		
						1995	1.50	5.00	40	3.68	0.15	SEALCOAT			1995				
						1996	3.20	5.00	40	4.32	0.10								
						1997	3.00	5.00	19	4.28	0.10								
						1998	2.90	4.80	32	4.11	0.14								
						1999	2.90	4.80	54	4.11	0.16								
						2000	2.90	4.80	54	4.11	0.18								
						2001	2.90	4.80	54	4.11	0.19								
						2002	2.90	4.80	54	4.11	0.22	SEALCOAT			2002				
						2	S.H.-14	001970	000.000	008.700	N	1993	2.30	1.00	58	1.52			
												1994	3.00	5.00	58	4.17	0.37	PLANT MIX OVERLAY	
1995	3.00	5.00	58	4.17	0.37														
1996	4.00	5.00	60	4.58	0.06														
1997	3.60	4.50	60	4.12	0.08														
1998	3.50	4.50	60	4.08	0.06														
1999	3.50	4.50	60	4.08	0.07														
2000	3.60	4.50	60	4.12	0.08														
2001	3.50	4.50	54	4.08	0.08														
2002	3.60	4.50	54	4.12	0.09														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
2	S.H.-14	001970	008.700	016.782	N	1993	1.50	2.80	53	2.33								
						1994	1.50	2.80	53	2.31	0.37							
						1995	1.50	2.80	53	2.31	0.37							
						1996	2.60	2.80	41	2.72	0.18							
						1997	2.40	2.60	41	2.52	0.18							
						1998	2.20	2.60	38	2.44	0.19							
						1999	2.30	2.60	46	2.48	0.18							
						2000	2.50	2.60	46	2.56	0.17							
						2001	2.40	2.60	47	2.52	0.16							
						2002	2.60	2.60	47	2.60	0.19							
						2	S.H.-14	001970	016.782	023.015	N	1993	1.80	2.70	61	2.33		
												1994	1.80	2.70	61	2.32	0.33	
1995	1.80	2.70	61	2.32	0.33													
1996	2.80	2.70	41	2.74	0.17													
1997	2.90	5.00	41	4.13	0.11							PLANT MIX OVERLAY	1997					
1998	3.00	5.00	46	4.17	0.06													
1999	2.90	5.00	45	4.13	0.07													
2000	3.00	4.80	45	4.05	0.07													
2001	3.00	4.80	35	4.05	0.08													
2002	3.10	4.80	35	4.09	0.08													
2	S.H.-14	001970	023.015	030.052	N							1993	2.00	2.70	62	2.41		
												1994	2.00	2.70	62	2.41	0.38	
						1995	2.00	2.60	62	2.35	0.38							
						1996	2.70	2.50	36	2.58	0.19	SEALCOAT	1996					
						1997	2.90	2.50	36	2.66	0.14	SEALCOAT	1997					
						1998	2.80	2.50	41	2.62	0.10							
						1999	2.80	2.50	35	2.62	0.12							
						2000	2.80	2.50	35	2.62	0.11							
						2001	2.80	2.50	30	2.62	0.13							
						2002	2.80	2.50	30	2.62	0.14							
						2	S.H.-14	001970	030.052	035.607	N	1993	3.00	3.50	61	3.29		
												1994	3.00	3.50	61	3.29	0.50	
1995	3.00	3.30	61	3.17	0.50													
1996	3.70	3.30	34	3.46	0.10							SEALCOAT	1996					
1997	3.60	3.30	34	3.42	0.07													
1998	3.50	3.30	41	3.38	0.07													
1999	3.50	3.30	36	3.38	0.07													
2000	3.60	3.00	36	3.24	0.08													
2001	3.50	3.00	37	3.20	0.08													
2002	3.40	3.00	37	3.16	0.09													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
2	S.H.-14	001970	035.607	041.025	N	1993	2.90	3.50	62	3.25							
						1994	2.90	3.50	62	3.25	0.56						
						1995	2.90	3.30	62	3.13	0.56						
						1996	3.60	3.30	40	3.42	0.11	SEALCOAT					1996
						1997	3.50	3.30	40	3.38	0.10						
						1998	3.50	3.30	42	3.38	0.10						
						1999	3.50	3.30	42	3.38	0.11						
						2000	3.50	3.30	42	3.38	0.11						
						2001	3.40	3.30	34	3.34	0.14						
						2002	3.30	3.30	34	3.30	0.15						
2	S.H.-14	001970	041.025	046.690	N	1993	2.70	3.50	55	3.17							
						1994	2.70	3.50	55	3.16	0.40						
						1995	2.70	3.20	55	2.99	0.40						
						1996	3.50	3.20	39	3.32	0.11	SEALCOAT				1996	
						1997	3.40	3.20	39	3.28	0.09						
						1998	3.40	3.20	42	3.28	0.10						
						1999	3.30	3.20	39	3.24	0.10						
						2000	3.40	3.00	39	3.16	0.10						
						2001	3.30	3.00	35	3.12	0.13						
						2002	3.20	3.00	35	3.08	0.15						
2	S.H.-14	001970	046.750	048.960	N	*1993	2.20	2.30	51	2.26							
						1994	2.50	2.30	50	2.37	0.36						
						1995	2.50	2.30	50	2.37	0.36						
						1996	3.30	2.30	38	2.67	0.13	SEALCOAT				1996	
						1997	3.20	2.30	38	2.63	0.12						
						1998	3.20	2.30	33	2.63	0.13						
						1999	3.10	2.30	20	2.60	0.16						
						2000	3.20	2.30	20	2.63	0.15						
						2001	3.10	2.30	30	2.60	0.19						
						2002	3.00	2.30	30	2.56	0.21						
2	S.H.-14	001970	048.960	049.515	N	*1993	2.20	2.30	51	2.26							
						1994	3.00	5.00	53	4.24	0.27	PLANT MIX OVERLAY				1994	
						1995	3.00	5.00	53	4.24	0.27						
						1996	3.60	5.00	47	4.47	0.09	SEALCOAT				1996	
						1997	3.30	5.00	47	4.36	0.09						
						1998	3.20	4.80	47	4.19	0.07						
						1999	3.20	4.80	44	4.19	0.09						
						2000	3.30	4.80	44	4.23	0.12						
						2001	3.30	4.20	32	3.86	0.12						
						2002	3.10	4.20	32	3.78	0.17						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
2	S.H.-62	001940	000.020	000.308	N	*1993	1.90	4.80	54	3.70		
						1994	2.10	4.80	54	3.78	0.28	
						1995	2.10	4.80	54	3.78	0.28	
						1996	3.50	4.80	39	4.31	0.10	
						1997	3.20	4.50	39	4.01	0.07	
						1998	3.00	4.50	47	3.93	0.07	
						1999	3.00	4.50	47	3.93	0.09	
						2000	3.00	4.50	47	3.96	0.12	
						2001	3.00	4.50	58	3.96	0.11	
						2002	3.30	4.50	58	4.04	0.09	
2	S.H.-62	001940	000.308	006.453	N	1993	2.80	4.80	60	3.99		
						1994	2.80	4.80	60	3.99	0.18	
						1995	2.80	4.80	60	3.99	0.18	
						1996	3.90	4.80	53	4.43	0.08	
						1997	3.70	4.50	53	4.17	0.09	
						1998	3.70	4.50	58	4.17	0.05	
						1999	3.60	4.50	56	4.13	0.05	
						2000	3.60	4.50	56	4.13	0.06	
						2001	3.60	4.50	59	4.13	0.04	
						2002	3.70	4.50	59	4.17	0.05	
2	S.H.-62	001940	006.453	013.618	N	1993	3.00	4.50	60	3.89		
						1994	3.00	4.50	60	3.88	0.19	
						1995	3.00	4.50	60	3.88	0.19	
						1996	4.00	4.50	52	4.29	0.10	
						1997	3.80	4.50	52	4.21	0.10	
						1998	3.70	4.50	59	4.17	0.06	
						1999	3.70	4.50	57	4.17	0.05	
						2000	3.70	4.50	57	4.17	0.07	
						2001	3.70	4.50	58	4.17	0.04	
						2002	3.70	4.50	58	4.17	0.06	
2	S.H.-62	001940	013.618	015.117	N	1993	2.70	4.80	54	3.93		
						1994	3.00	4.80	54	4.05	0.13	
						1995	3.00	4.80	54	4.05	0.13	
						1996	4.10	4.80	46	4.51	0.05	
						1997	3.90	4.80	46	4.42	0.07	
						1998	3.80	4.80	49	4.38	0.05	
						1999	3.90	4.80	57	4.42	0.06	
						2000	3.80	4.80	57	4.38	0.05	
						2001	3.80	4.80	56	4.38	0.04	
						2002	3.80	4.80	56	4.38	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
2	S.H.-62	001940	015.117	015.348	N	1993	1.10	4.50	54	3.21		
						1994	1.90	4.50	54	3.51	0.21	
						1995	1.90	4.50	54	3.51	0.21	
						1996	3.60	4.50	43	4.16	0.07	
						1997	3.40	4.50	43	4.08	0.06	
						1998	3.60	4.50	43	4.16	0.09	
						1999	3.40	1.90	43	2.46	0.07	
						2000	3.40	1.90	57	2.46	0.09	
						2001	3.40	1.90	56	2.46	0.10	
						2002	3.00	1.90	56	2.31	0.14	
2	S.H.-64	001940	015.348	015.886	N	1993	1.00	2.00	57	1.62		
						1994	0.60	2.00	57	1.47	0.25	
						1995	0.60	2.00	57	1.47	0.25	
						1996	1.80	2.00	47	1.92	0.24	
						1997	1.60	1.50	47	1.53	0.25	
						1998	1.60	1.50	47	1.53	0.27	
						1999	1.50	1.50	43	1.50	0.29	
						2000	2.20	1.50	43	1.76	0.22	
						2001	2.00	1.50	52	1.68	0.24	
						2002	1.80	1.50	52	1.61	0.25	
2	S.H.-64	001940	015.886	018.036	N	1993	1.00	1.50	66	1.29		
						1994	0.60	1.30	66	1.01	0.25	
						1995	0.60	1.30	66	1.01	0.25	
						1996	2.50	1.30	50	1.79	0.28	
						1997	2.10	1.20	50	1.57	0.30	
						1998	1.80	1.20	54	1.44	0.29	
						1999	2.50	1.20	51	1.73	0.27	
						2000	2.60	1.20	51	1.77	0.27	
						2001	2.60	1.20	37	1.77	0.27	
						2002	2.80	1.20	37	1.85	0.24	
2	S.H.-64	001940	018.036	019.900	N	1993	1.00	1.50	56	1.29		
						1994	0.60	1.30	56	1.01	0.25	
						1995	0.60	1.30	56	1.01	0.25	
						1996	2.80	1.30	45	1.91	0.36	
						1997	2.70	1.00	45	1.70	0.34	
						1998	2.40	1.00	45	1.57	0.34	
						1999	2.70	1.00	64	1.70	0.28	
						2000	2.80	1.00	64	1.74	0.26	
						2001	2.80	1.00	47	1.74	0.26	
						2002	2.80	1.00	47	1.74	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
2	S.H.-64	001940	019.900	021.050	N	1993	1.00	1.50	55	1.29			
						1994	0.60	1.50	55	1.12	0.25		
						1995	0.60	1.50	55	1.12	0.25		
						1996	2.90	1.50	46	2.07	0.23		
						1997	2.80	1.20	46	1.85	0.22		
						1998	2.60	1.20	50	1.77	0.23		
						1999	2.90	1.20	61	1.90	0.16		
						2000	2.80	1.20	61	1.85	0.19		
						2001	2.70	1.20	40	1.81	0.22		
						2002	2.80	1.20	40	1.85	0.22		
						2	S.H.-64	001940	021.050	023.788	N	1993	1.00
1994	0.60		55	0.60	0.25								
1995	0.60	1.50	55	1.16	0.25								
1996	2.90	1.50	53	2.02	0.27								
1997	2.80	1.30	53	1.86	0.22								
1998	2.70	1.30	58	1.82	0.22								
1999	2.50	1.30	58	1.75	0.19								
2000	3.10	1.30	58	1.97	0.15								
2001	3.00	1.30	41	1.93	0.16								
2002	2.50	5.00	41	4.06	0.26								
2	S.H.-64	001940	023.788	026.925	N							1993	2.00
						1994	2.10		00	2.10	0.40		
						1995	2.10		00	2.10	0.40		
						1996	1.40		00	1.40	0.33		
						1997	1.10		53	1.10	0.29		
						1998	1.80		58	1.80	0.32		
						1999	1.50		58	1.50	0.25		
						2000	2.00		58	2.00	0.21		
						2001	2.50		41	2.50	0.23		
						2002	1.40		41	1.40	0.30		
						2	S.H.-64	001940	026.925	030.357	N	1993	0.80
1994	1.00	1.80	50	1.49	0.29								
1995	1.00	1.80	50	1.49	0.29								
1996	2.20	1.70	43	1.88	0.25								
1997	1.90	1.60	43	1.71	0.26								
1998	1.90	1.50	41	1.65	0.25								
1999	1.80	1.50	49	1.61	0.26								
2000	2.40	1.50	49	1.83	0.23								
2001	2.30	1.50	50	1.80	0.24								
2002	2.20	1.50	50	1.76	0.23								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
2	S.H.-64	001940	030.357	030.819	N	1993	1.50	1.20	51	1.31		
						1994	1.40	1.20	51	1.27	0.12	
						1995	1.40	1.20	51	1.27	0.12	
						1996	2.30	1.20	37	1.61	0.29	
						1997	1.80	1.20	37	1.42	0.31	
						1998	1.90	1.20	37	1.46	0.27	
						1999	2.20	1.20	56	1.57	0.24	
						2000	2.50	1.20	56	1.69	0.24	
						2001	2.50	1.20	48	1.69	0.25	
						2002	3.00	1.20	48	1.87	0.27	
2	S.H.-64	001940	030.819	030.952	N	1993	0.20	1.50	51	1.00		
2	S.H.-64	001940	030.952	031.077	N	1993	0.90	2.50	41	1.89		
2	S.H.-67	002530	000.000	000.990	N	1993	2.20	1.50	64	1.78		
						1994	2.70	1.50	64	1.99	0.40	SEALCOAT
						1995	2.70	1.50	64	1.99	0.40	
						1996	3.60	3.00	59	3.24	0.15	
						1997	3.40	2.90	59	3.10	0.16	
						1998	3.10	2.90	46	2.98	0.14	
						1999	3.10	3.00	57	3.04	0.15	
						2000	3.20	2.80	57	2.96	0.14	
						2001	3.20	2.80	52	2.96	0.15	
						2002	3.40	2.80	52	3.04	0.17	
2	U.S.-95	001540	182.415	194.736	N	1993	2.50	3.00	59	2.76		
						1994	2.50	3.00	59	2.76	0.21	
						1995	2.50	3.00	48	2.76	0.21	
						*1996	3.10	3.00	49	3.04	0.19	
						1997	1.60	5.00	48	3.37		PLANT MIX OVERLAY
						1998	3.40	5.00	51	4.23	0.09	
						*1999	3.30	5.00	51	4.18	0.10	
						2000	3.40	4.80	51	4.17	0.12	
						2001	3.40	4.80	51	4.17	0.14	
						2002	3.30	4.80	51	4.12	0.18	
2	U.S.-95	001540	194.736	196.100	N	1993	2.10	2.20	53	2.15		
						1994	2.10	2.20	53	2.15	0.29	
						1995	2.10	2.20	34	2.15	0.29	
						1996	3.00	2.20	33	2.58	0.23	
						1997	2.40	2.10	33	2.24	0.14	
						1998	2.40	2.10	47	2.24	0.18	
						*1999	2.10	2.10	45	2.10	0.21	NEW CONST OR RECONST (FLEX)
						2000	3.20	5.00	40	4.19	0.11	
						2001	3.20	5.00	40	4.19	0.10	
						2002	3.10	5.00	40	4.14	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	196.100	197.630	N	1993	2.10	2.20	53	2.15		
						1994	2.10	2.20	53	2.15	0.29	
						1995	2.10	2.20	34	2.15	0.29	
						1996	3.00	2.20	33	2.58	0.23	
						1997	2.40	2.10	33	2.24	0.14	
						1998	2.40	2.10	47	2.24	0.18	SEALCOAT
						*1999	2.10	2.10	45	2.10	0.21	
						2000	2.80	2.10	45	2.43	0.20	
						2001	2.70	2.10	45	2.38	0.20	
						2002	2.70	3.20	45	2.96	0.23	
2	U.S.-95	001540	197.630	205.978	N	1993	3.20	5.00	59	4.14		PLANT MIX OVERLAY
						1994	3.00	5.00	59	4.05	0.20	
						1995	3.00	4.80	47	3.94	0.20	
						1996	3.90	4.80	45	4.37	0.11	
						1997	3.70	4.80	45	4.27	0.09	
						1998	3.70	4.80	51	4.27	0.14	
						1999	3.60	4.80	51	4.22	0.14	
						2000	3.70	4.80	51	4.27	0.14	
						2001	3.70	4.80	51	4.27	0.14	
						2002	3.60	4.80	51	4.23	0.17	
2	U.S.-95	001540	205.978	213.514	N	1993	3.30	5.00	59	4.19		PLANT MIX OVERLAY
						1994	3.10	5.00	59	4.10	0.24	
						1995	3.10	5.00	47	4.09	0.24	
						1996	3.90	5.00	45	4.47	0.11	
						1997	3.70	5.00	45	4.38	0.09	
						1998	3.60	5.00	50	4.33	0.12	
						1999	3.60	5.00	49	4.33	0.12	
						2000	3.70	4.80	49	4.27	0.14	
						2001	3.70	4.80	49	4.27	0.14	
						2002	3.60	4.80	49	4.23	0.16	
2	U.S.-95	001540	213.514	219.200	N	1993	2.80	3.50	54	3.16		PLANT MIX OVERLAY
						1994	2.80	3.50	54	3.16	0.31	
						1995	2.80	3.50	32	3.16	0.31	
						1996	3.40	3.50	31	3.45	0.18	
						1997	3.20	3.50	31	3.35	0.17	SEALCOAT
						1998	3.10	3.50	53	3.31	0.21	
						1999	3.10	3.50	56	3.31	0.22	
						2000	3.20	3.50	56	3.35	0.23	
						2001	3.20	3.50	56	3.35	0.24	
						2002	3.10	3.50	56	3.30	0.27	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-95	001540	219.240	223.800	N	1993	2.60	2.50	56	2.54									
						1994	2.50	2.50	56	2.50	0.27								
						*1995	2.50	2.50	36	2.50	0.27								
						1996	3.30	2.50	40	2.88	0.17								
						1997	3.00	2.50	40	2.73	0.18	SEALCOAT					1997		
						1998	3.10	2.50	50	2.78	0.17								
						1999	3.00	2.50	51	2.73	0.20								
						2000	3.10	2.50	51	2.78	0.20								
						2001	3.10	2.50	51	2.78	0.21								
						2002	3.00	2.50	51	2.73	0.22								
						2	U.S.-95	001540	223.800	231.400	N	1993	2.60	2.50	56	2.54			
												1994	2.50	2.50	56	2.50	0.27		
*1995	2.50	2.50	36	2.50	0.27														
1996	3.50	5.00	40	4.28	0.06							PLANT MIX OVERLAY					1996		
1997	3.30	4.50	40	3.92	0.06														
1998	3.30	4.50	36	3.92	0.08														
1999	3.20	4.50	39	3.88	0.08														
2000	3.30	4.50	39	3.93	0.08														
2001	3.30	4.50	39	3.92	0.10														
2002	3.20	4.50	39	3.88	0.11														
2	U.S.-95	001540	231.400	234.338	N							1993	3.00	2.90	58	2.94			
												1994	2.90	2.90	58	2.90	0.17	SEALCOAT	
						*1995	2.90	2.80	49	2.84	0.17								
						1996	3.50	2.80	46	3.13	0.11								
						1997	3.20	2.70	46	2.93	0.10								
						1998	3.20	2.70	49	2.93	0.14								
						1999	3.20	2.70	53	2.93	0.14								
						2000	3.20	2.70	53	2.93	0.12								
						2001	3.20	2.70	53	2.93	0.12								
						2002	3.10	2.70	53	2.89	0.14								
						2	U.S.-95	001540	234.338	237.545	N	1993	3.40	2.70	62	3.03			
												1994	3.20	2.70	62	2.93	0.17	SEALCOAT	
1995	3.20	2.70	52	2.93	0.17														
1996	3.80	2.70	48	3.22	0.18														
1997	3.60	2.60	48	3.07	0.13														
1998	3.60	2.60	54	3.07	0.17														
1999	3.60	2.60	57	3.07	0.13							SEALCOAT					1999		
2000	3.60	2.50	57	3.02	0.14														
2001	3.60	2.50	57	3.02	0.15														
2002	3.20	2.50	57	2.83	0.16														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-95	001540	237.545	239.510	N	1993	3.20	3.50	58	3.36									
						*1994	3.10	3.50	58	3.32	0.34	SEALCOAT	1994						
						1995	3.20	3.20	43	3.20	0.33								
						1996	3.70	3.20	30	3.43	0.28								
						1997	3.50	3.10	30	3.29	0.29								
						1998	3.50	3.10	43	3.29	0.37								
						1999	3.60	3.10	43	3.33	0.16	SEALCOAT	1999						
						2000	3.70	3.00	43	3.33	0.18								
						2001	3.70	3.00	43	3.33	0.19								
						2002	3.40	3.00	43	3.19	0.23								
						2	U.S.-95	001540	239.510	239.773	N	1993	3.20	3.50	58	3.36			
												*1994	3.10	3.50	58	3.32	0.34	SEALCOAT	1994
												1995	3.50	5.00	43	4.32	0.00	PLANT MIX OVERLAY	1995
1996	3.70	4.00	30	3.86	0.16														
1997	3.20	4.00	30	3.64	0.13														
1998	3.20	4.00	43	3.64	0.20														
1999	3.30	4.00	43	3.68	0.13							SEALCOAT	1999						
2000	3.20	4.00	43	3.64	0.15														
2001	3.40	4.00	43	3.73	0.15														
2002	3.30	4.00	43	3.68	0.14														
2	U.S.-95	001540	239.773	240.310	N							1993	2.90	3.50	53	3.21			
												1994	2.90	3.50	53	3.21	0.41		
												1995	3.50	5.00	54	4.28	0.00	PLANT MIX OVERLAY	1995
						1996	3.90	5.00	17	4.47	0.09								
						1997	3.50	5.00	17	4.28	0.09								
						1998	3.50	5.00	30	4.28	0.15								
						1999	3.30	4.50	20	3.92	0.14								
						2000	3.40	4.50	20	3.97	0.18								
						2001	3.40	4.50	20	3.97	0.20								
						2002	3.30	4.50	20	3.92	0.20								
						2	U.S.-95	001540	240.310	246.035	N	1993	2.60	2.50	60	2.54			
												1994	2.90	2.40	60	2.63	0.25		
												1995	3.50	5.00	57	4.28	0.00	PLANT MIX OVERLAY	1995
1996	4.20	4.00	39	4.09	0.08														
1997	3.90	4.00	39	3.95	0.07														
1998	3.80	4.00	36	3.90	0.14														
1999	3.80	4.00	35	3.90	0.14														
2000	3.70	4.00	35	3.85	0.17														
2001	3.70	4.00	35	3.85	0.20														
2002	3.50	4.00	35	3.76	0.23														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-95	001540	246.035	251.069	N	1993	3.00	2.80	64	2.89									
						1994	3.10	2.80	64	2.94	0.26	PLANT MIX OVERLAY	1995						
						1995	3.50	5.00	57	4.28	0.00								
						1996	4.20	4.50	43	4.35	0.13								
						1997	4.00	4.40	43	4.20	0.11								
						1998	3.90	4.40	40	4.16	0.17								
						1999	3.90	4.40	40	4.16	0.17	GRIND AND JOINT SEAL (CONC)	1999						
						2000	3.90	4.00	40	3.95	0.19								
						2001	3.90	4.00	40	3.95	0.25								
						2002	3.60	4.00	40	3.80	0.22								
						2	U.S.-95	001540	251.069	254.365	N	1993	2.80	3.00	61	2.90			
												1994	2.70	3.00	61	2.85	0.11	PLANT MIX OVERLAY	1995
1995	3.10	2.90	39	2.99	0.15														
1996	3.10	2.90	46	2.99	0.06														
1997	2.90	2.80	46	2.84	0.07														
1998	2.90	2.80	54	2.84	0.09														
1999	3.60	2.80	52	3.18	0.04							GRIND AND JOINT SEAL (CONC)	1999						
2000	3.90	2.80	52	3.32	0.04														
2001	3.90	2.80	52	3.32	0.04														
2002	3.60	2.80	52	3.18	0.04														
2	U.S.-95	001540	254.365	255.448	N							1993	3.00	3.50	57	3.26			
												1994	3.00	3.50	57	3.26	0.12		
						1995	3.00	3.40	41	3.20	0.12								
						1996	3.10	3.40	46	3.25	0.04								
						1997	3.10	3.40	46	3.25	0.05								
						1998	3.00	3.40	58	3.20	0.04								
						1999	3.70	3.40	53	3.54	0.03	GRIND AND JOINT SEAL (CONC)	1999						
						2000	4.00	3.00	53	3.47	0.04								
						2001	4.10	3.00	53	3.52	0.04								
						2002	3.70	3.00	53	3.33	0.03								
						2	U.S.-95	001540	255.448	261.588	N	1993	2.80	3.50	59	3.16			
												1994	2.80	3.50	59	3.16	0.12		
1995	2.80	3.50	36	3.16	0.12														
1996	3.20	3.50	44	3.35	0.05														
1997	3.10	3.40	44	3.25	0.05														
1998	3.10	3.40	50	3.25	0.07														
1999	3.70	3.40	50	3.54	0.04							GRIND AND JOINT SEAL (CONC)	1999						
2000	4.00	3.00	50	3.47	0.04														
2001	4.00	3.00	50	3.47	0.04														
2002	3.70	3.00	50	3.33	0.04														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	U.S.-95	001540	271.802	272.400	N	*1993	3.10	3.50	47	3.33		NEW CONST OR RECONST (FLEX)	1993
						1994	3.10	5.00	40	4.21	0.16		
						1995	3.10	5.00	40	4.21	0.16		
						1996	2.30	5.00	45	3.88	0.12		
						1997	1.90	5.00	45	3.71	0.12		
						1998	2.00	4.80	45	3.63	0.14		
						1999	2.10	4.80	47	3.68	0.14		
						2000	2.20	4.80	47	3.72	0.16		
						2001	2.00	4.80	47	3.63	0.16		
						2002	2.50	4.80	55	3.93	0.08		
2	U.S.-95	001540	272.380	273.544	N	*1993	3.10	3.50	47	3.33		NEW CONST OR RECONST (FLEX)	1993
						1994	3.10	5.00	40	4.21	0.16		
						1995	3.10	5.00	40	4.21	0.16		
						1996	2.30	5.00	45	3.88	0.12		
						1997	1.90	5.00	45	3.71	0.12		
						1998	2.00	4.80	45	3.63	0.14		
						1999	2.10	4.80	47	3.68	0.14		
						2000	2.20	4.80	47	3.72	0.16		
						2001	2.00	4.80	47	3.63	0.16		
						2002	2.10	4.80	47	3.68	0.13		
2	U.S.-95	001540	273.735	273.901	N	1993	3.40	4.50	56	3.97			
						1994	2.90	4.50	56	3.73	0.05		
						1995	2.90	4.50	56	3.73	0.05		
						1996	3.90	4.50	42	4.21	0.05		
						1997	3.80	4.50	42	4.16	0.07		
						1998	3.90	4.50	50	4.21	0.07		
						1999	3.80	4.50	49	4.16	0.06		
						2000	3.90	4.50	49	4.21	0.05		
						2001	3.90	4.50	49	4.21	0.06		
						2002	3.50	4.50	49	4.02	0.06		
2	U.S.-95	001540	273.901	277.987	N	1993	3.50	4.00	58	3.76			
						1994	3.50	4.00	58	3.76	0.11		
						1995	3.50	4.00	58	3.76	0.11		
						1996	4.10	4.00	58	4.04	0.12		
						1997	4.00	3.90	42	3.94	0.11		
						1998	4.00	3.90	50	3.94	0.15		
						1999	3.90	3.90	47	3.90	0.15		
						2000	3.80	3.90	47	3.85	0.13		
						2001	3.80	3.90	47	3.85	0.14		
						2002	3.60	3.90	47	3.75	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	U.S.-95	001540	277.987	279.601	N	1993	3.30	4.50	58	3.92									
						1994	3.30	4.50	58	3.92	0.16								
						1995	3.30	4.50	58	3.92	0.16								
						1996	4.10	4.50	58	4.30	0.09	HOT IN PLACE RECYCLE					1996		
						1997	3.90	4.50	42	4.21	0.10								
						1998	3.90	4.50	50	4.21	0.11								
						1999	3.90	4.50	51	4.21	0.11								
						2000	3.70	4.50	51	4.11	0.10								
						2001	3.80	4.50	51	4.16	0.11								
						2002	3.70	4.50	51	4.11	0.10								
						2	U.S.-95	001540	279.601	284.969	N	1993	3.00	3.00	55	3.00			
												1994	3.00	3.00	55	3.00	0.17		
1995	3.00	3.00	55	3.00	0.17														
1996	3.80	4.50	55	4.16	0.09							HOT IN PLACE RECYCLE				1996			
1997	3.80	4.50	42	4.16	0.11														
1998	3.80	4.00	51	3.90	0.07														
1999	3.80	3.50	47	3.64	0.08														
2000	3.50	3.30	47	3.39	0.08														
2001	3.50	3.30	47	3.39	0.10														
2002	3.20	3.30	47	3.25	0.13														
2	U.S.-95	001540	284.969	291.095	N							1993	2.90	3.00	57	2.95			
												1994	2.90	2.90	57	2.90	0.18		
						1995	2.90	2.90	57	2.90	0.18								
						1996	3.20	2.90	57	3.04	0.14	HOT IN PLACE RECYCLE				1996			
						1997	3.50	2.90	42	3.18	0.11								
						1998	3.60	4.50	48	4.07	0.08	SEALCOAT				1998			
						1999	3.50	3.90	46	3.70	0.09								
						2000	3.60	3.90	46	3.75	0.09								
						2001	3.60	3.90	46	3.75	0.08								
						2002	3.30	3.90	46	3.61	0.11								
						2	U.S.-95	001540	291.095	291.400	N	1993	2.60	2.90	51	2.75			
												1994	2.70	2.50	51	2.59	0.37		
1995	2.70	2.50	51	2.59	0.37														
*1996	3.00	2.50	51	2.73	0.29							HOT IN PLACE RECYCLE				1996			
1997	3.70	2.50	42	3.07	0.11														
1998	3.70	5.00	48	4.37	0.07														
1999	3.60	5.00	46	4.33	0.09														
2000	3.50	5.00	46	4.28	0.10														
2001	3.50	5.00	46	4.28	0.16														
2002	3.30	5.00	46	4.18	0.15														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	291.400	297.100	N	1993	2.90	5.00	27	3.99		
						1994	3.00	5.00	27	4.04	0.31	
						1995	3.00	4.50	27	3.78	0.31	
						*1996	3.40	3.80	27	3.60	0.30	
						1997	3.50	5.00	42	4.28	0.10	PLANT MIX OVERLAY
						1998	3.60	5.00	24	4.33	0.12	SEALCOAT
						1999	3.60	5.00	35	4.32	0.15	
						2000	3.60	5.00	35	4.33	0.19	
						2001	3.60	4.80	35	4.22	0.21	
						2002	3.50	4.80	35	4.17	0.26	
2	U.S.-95	001540	297.100	300.309	N	1993	2.90	5.00	27	3.99		
						1994	3.00	5.00	27	4.04	0.31	
						1995	3.00	4.50	27	3.78	0.31	
						*1996	3.40	3.80	27	3.60	0.30	
						1997	3.40	3.80	42	3.60	0.27	
						1998	3.40	3.80	38	3.60	0.32	
						1999	3.40	3.80	40	3.60	0.35	
						2000	3.40	3.80	40	3.60	0.31	
						2001	3.40	3.80	40	3.60	0.33	
						2002	3.30	3.80	40	3.56	0.40	
2	U.S.-95	001540	300.309	304.715	N	1993	2.90	2.50	52	2.69		
						1994	3.00	2.50	52	2.74	0.22	
						1995	3.00	2.50	52	2.74	0.22	
						1996	3.00	2.50	52	2.74	0.23	
						1997	2.90	2.50	42	2.69	0.22	
						1998	2.80	2.50	40	2.64	0.27	
						1999	2.90	2.50	41	2.69	0.27	
						2000	2.90	2.50	41	2.69	0.27	
						2001	2.90	2.50	41	2.69	0.29	
						2002	2.70	2.50	41	2.59	0.33	
2	U.S.-95	001540	304.715	305.365	ASC	1993	3.40	5.00	41	4.23		MILL INLAY AND OVERLAY
						1994	3.00	5.00	41	4.04	0.27	
						1995	3.00	5.00	31	4.03	0.27	
						1996	3.50	5.00	31	4.27	0.27	
						1997	3.40	5.00	31	4.23	0.23	
						1998	3.20	5.00	33	4.13	0.28	
						1999	3.20	5.00	37	4.13	0.34	
						2000	3.40	5.00	37	4.23	0.28	
						2001	3.30	5.00	37	4.18	0.37	
						2002	3.00	5.00	37	4.03	0.38	
2	U.S.-95	001540	304.715	305.365	DES	1993	2.50	5.00	49	3.80		MILL INLAY AND OVERLAY
						1994	2.70	5.00	49	3.89	0.06	
						1995	2.70	5.00	41	3.89	0.06	
						1996	2.70	5.00	38	3.89	0.06	
						1997	3.40	5.00	38	4.23	0.23	
						1998	3.60	5.00	38	4.32	0.26	
						1999	3.40	5.00	40	4.23	0.31	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS				
2	U.S.-95	001540	305.365	310.070	ASC	2000	3.60	5.00	40	4.32	0.35					
						2001	3.40	5.00	40	4.23	0.35					
						2002	3.40	5.00	40	4.23	0.40					
															MILL INLAY AND OVERLAY	1993
															PLANT MIX OVERLAY	1994
2	U.S.-95	001540	305.365	310.070	DES	1993	3.50	3.50	40	3.50						
						1994	3.50	4.50	40	4.01	0.11					
						1995	3.50	4.50	32	4.01	0.11					
						1996	4.00	4.50	31	4.25	0.16					
						1997	4.00	4.40	31	4.20	0.16					
						1998	4.00	4.40	31	4.20	0.23					
						1999	3.90	4.40	35	4.15	0.27					
						2000	4.00	4.40	35	4.20	0.32					
						2001	4.00	4.40	35	4.20	0.32					
						2002	3.80	4.40	35	4.11	0.41					
2	U.S.-95	001540	310.070	311.920	ASC	1993	3.50	3.00	38	3.22						
						1994	3.00	5.00	38	4.09	0.18					
						1995	3.00	5.00	28	4.09	0.18					
						1996	4.30	5.00	28	4.68	0.13					
						1997	4.10	5.00	28	4.59	0.15					
						1998	4.00	5.00	27	4.54	0.25					
						1999	4.10	5.00	27	4.59	0.28					
						2000	4.10	5.00	27	4.59	0.24					
						2001	4.00	5.00	27	4.54	0.28					
						2002	3.90	5.00	27	4.49	0.40					
2	U.S.-95	001540	310.070	311.920	DES	1993	3.50	3.50	39	3.50						
						1994	3.00	5.00	39	4.09	0.08					
						1995	3.00	5.00	33	4.09	0.08					
						1996	3.40	5.00	29	4.27	0.10					
						1997	4.10	5.00	29	4.59	0.15					
						1998	4.20	4.80	29	4.52	0.19					
						1999	4.20	4.80	29	4.52	0.28					
						2000	4.30	4.80	29	4.57	0.19					
						2001	4.20	4.80	29	4.52	0.32					
						2002	3.70	4.80	29	4.29	0.36					

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
2	U.S.-95	001540	311.920	312.500	N	1994	3.10	4.50	48	3.87	0.08	
						1995	3.10	4.50	48	3.87	0.08	
						1996	3.20	4.50	43	3.92	0.08	
						1997	2.90	4.50	43	3.78	0.11	
						1998	2.70	4.50	45	3.69	0.10	
						1999	2.80	4.50	48	3.74	0.11	
						2000	2.90	4.50	48	3.78	0.11	
						2001	2.80	4.50	48	3.74	0.11	
						2002	2.90	4.50	48	3.78	0.12	
						2	U.S.-95	001540	312.500	317.420	ASC	1993
1994	3.00	5.00	56	4.05	0.17							
1995	3.00	5.00	45	4.05	0.17							
1996	3.60	5.00	45	4.33	0.13							
1997	3.30	5.00	45	4.19	0.14							
*1998	3.40	5.00	36	4.23	0.15							
1999	3.30	5.00	51	4.18	0.15							MILL AND INLAY
2000	3.40	4.50	51	3.97	0.15							
2001	3.30	4.50	51	3.92	0.17							
2002	3.10	4.50	51	3.82	0.19							
2	U.S.-95	001540	312.500	317.420	DES	1993	3.10	5.00	56	4.10		
						1994	3.00	5.00	56	4.05	0.17	
						1995	3.00	5.00	45	4.05	0.17	
						1996	3.60	5.00	45	4.33	0.13	
						1997	3.30	5.00	45	4.19	0.14	
						*1998	2.90	5.00	36	3.99	0.14	
						1999	3.70	5.00	51	4.37	0.06	MILL AND INLAY
						2000	3.70	4.80	51	4.27	0.10	
						2001	3.70	4.80	51	4.27	0.11	
						2002	3.60	4.80	51	4.22	0.13	
2	U.S.-95	001540	317.420	319.880	ASC	1993	3.10	5.00	56	4.10		
						1994	3.00	5.00	56	4.05	0.17	
						1995	3.00	5.00	45	4.05	0.17	
						1996	3.60	5.00	45	4.33	0.13	
						1997	3.30	5.00	45	4.19	0.14	
						*1998	3.40	5.00	36	4.23	0.15	
						1999	3.10	5.00	50	4.09	0.25	
						2000	3.10	5.00	50	4.09	0.28	
						2001	3.00	5.00	50	4.04	0.29	
						2002	3.20	4.80	50	4.04	0.26	
2	U.S.-95	001540	317.420	319.880	DES	1993	3.10	5.00	56	4.10		
						1994	3.00	5.00	56	4.05	0.17	
						1995	3.00	5.00	45	4.05	0.17	
						1996	3.60	5.00	45	4.33	0.13	
						1997	3.30	5.00	45	4.19	0.14	
						*1998	2.90	5.00	36	3.99	0.14	
						1999	3.00	5.00	50	4.04	0.18	
						2000	3.10	5.00	50	4.09	0.16	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
2	U.S.-95	001540	323.190	326.529	N	2001	3.00	5.00	50	4.04	0.22							
						2002	3.00	4.00	50	3.52	0.24							
						1993	2.20	2.50	59	2.35								
						1994	2.20	2.50	59	2.35	0.33							
						1995	2.20	2.50	42	2.35	0.33							
						1996	3.10	2.50	40	2.78	0.27							
						*1997	2.70	2.50	40	2.59	0.25							
						1998	2.80	2.50	34	2.64	0.46	SEALCOAT						
						1999	2.80	2.50	44	2.64	0.28							
						2000	3.00	2.50	44	2.73	0.20							
						2001	2.90	2.50	44	2.69	0.22							
						2002	2.90	2.50	44	2.69	0.23							
2	U.S.-95	001540	326.529	328.812	N	1993	2.20	2.50	59	2.35								
						1994	2.20	2.50	59	2.35	0.33							
						1995	2.20	2.50	42	2.35	0.33							
						1996	3.10	2.50	40	2.78	0.27							
						*1997	2.70	2.50	40	2.59	0.25	PLANT MIX OVERLAY						
						1998	3.60	5.00	53	4.33	0.08	SEALCOAT						
						1999	3.60	5.00	53	4.32	0.07							
						2000	3.70	5.00	53	4.37	0.08							
						2001	3.60	5.00	53	4.33	0.11							
						2002	3.60	5.00	53	4.33	0.15							
						2	U.S.-95	001540	328.812	329.891	N	1993	3.20	3.00	59	3.09		
												1994	3.20	3.00	59	3.09	0.22	
1995	3.20	3.00	40	3.09	0.22													
1996	3.70	3.00	40	3.33	0.24													
*1997	3.50	3.00	40	3.23	0.22													
1998	3.30	3.00	31	3.14	0.23							SEALCOAT						
1999	3.30	3.00	45	3.14	0.28													
2000	3.30	3.00	45	3.14	0.18													
2001	3.40	3.00	45	3.19	0.16													
2002	3.20	3.00	45	3.09	0.21													
2	U.S.-95	001540	329.891	338.100	N							1993	3.00	3.50	59	3.26		
												1994	3.20	3.50	59	3.35	0.12	
						1995	3.20	3.50	59	3.35	0.12	SEALCOAT						
						1996	3.60	3.50	40	3.54	0.15							
						1997	3.50	3.50	40	3.50	0.16							
						1998	3.50	3.50	31	3.50	0.22							
						1999	3.50	3.50	43	3.50	0.28							
						2000	3.50	3.00	43	3.24	0.21							
						2001	3.50	3.00	43	3.24	0.25							
						2002	3.20	3.00	43	3.09	0.25							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
2	U.S.-95	001540	338.100	343.601	N	1993	2.70	4.00	60	3.37		
						1994	2.80	4.00	60	3.42	0.26	
						1995	2.80	3.90	60	3.37	0.26	
						1996	3.40	3.90	38	3.65	0.26	
						1997	3.10	3.80	38	3.46	0.24	
						1998	3.10	3.80	30	3.46	0.36	
						1999	3.10	3.80	42	3.46	0.33	
						2000	3.20	3.50	42	3.35	0.30	
						2001	3.20	3.50	42	3.35	0.35	
						2002	3.10	3.50	42	3.30	0.37	
						2	U.S.-95	001540	343.601	344.568	N	1993
1994	3.00	4.00	44	3.57	0.20							
1995	3.00	4.00	44	3.58	0.20							
1996	3.30	4.00	29	3.69	0.27							
1997	3.30	4.00	29	3.69	0.23							
1998	3.10	4.00	32	3.61	0.32							
1999	3.20	4.00	49	3.66	0.33							
2000	3.30	4.00	49	3.69	0.32							
2001	3.30	3.80	49	3.58	0.35							
2002	2.80	3.80	49	3.36	0.47							
2	U.S.-95	001540	344.568	344.745	N							1993
						1994	2.20	3.00	40	2.64	0.06	
						1995	2.20	2.90	40	2.59	0.06	
						1996	2.80	2.90	30	2.85	0.16	
						1997	3.00	2.90	30	2.94	0.15	
						1998	2.90	2.90	20	2.90	0.18	
						*1999	2.90	2.90	20	2.90	0.24	
						2000	2.50	2.90	18	2.72	0.38	
						2001	2.40	2.90	18	2.68	0.25	
						2002	3.10	2.90	49	2.98	0.24	
						2	U.S.-95	001540	344.745	344.767	N	1993
1994	2.20	3.00	40	2.64	0.06							
1995	2.20	2.90	40	2.59	0.06							
1996	2.80	2.90	30	2.85	0.16							
1997	3.00	2.90	30	2.94	0.15							
1998	2.90	2.90	20	2.90	0.18							
*1999	2.90	2.90	20	2.90	0.24							
2000	2.50	5.00	18	3.90	0.38							
2001	2.40	5.00	18	3.86	0.25							
2002	3.10	5.00	49	4.16	0.24							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
2	U.S.-95	001540	345.480	345.566	N	1993	0.50	5.00	48	3.08		
						1994	0.50	5.00	48	3.08	0.33	
						1995	0.50	5.00	48	3.05	0.33	
						1996	2.10	5.00	37	3.76	0.26	
						1997	1.90	5.00	37	3.68	0.27	
						1998	1.60	5.00	44	3.55	1.57	
						1999	1.60	3.90	68	2.90	0.23	
						2000	2.00	2.50	68	2.28	0.21	
						2001	1.30	2.50	68	1.98	0.29	
						2002	1.90	2.50	68	2.24	0.20	
						2	U.S.-95	001540	345.566	345.637	N	1993
1994	0.80	5.00	55	3.15	0.03							
1995	0.80	5.00	55	3.21	0.03							
1996	2.50	3.40	37	3.00	0.11							
1997	2.30	3.40	37	2.91	0.15							
1998	2.10	3.40	29	2.83	0.24							
1999	2.30	3.00	29	2.70	0.22							
2000	1.40	2.90	29	2.24	0.20							
2001	1.50	2.90	29	2.28	0.29							
2002	1.20	2.90	68	2.15	0.40							
2	U.S.-95	001540	345.637	345.950	N							1993
						1994	0.70	2.00	43	1.45	0.21	
						1995	0.70	2.00	43	1.45	0.21	
						1996	2.20	2.00	39	2.08	0.16	
						1997	1.70	2.00	39	1.87	0.21	
						1998	1.50	2.00	36	1.78	0.30	
						1999	1.70	2.00	36	1.87	0.23	
						2000	2.50	2.00	36	2.21	0.19	
						2001	2.10	2.00	36	2.04	0.19	
						2002	2.20	2.00	68	2.08	0.22	
						2	U.S.-95	001540	345.950	346.604	N	1993
1994	2.30	3.00	45	2.70	0.28							
1995	2.30	2.90	45	2.64	0.28							
1996	3.50	2.90	31	3.17	0.26							
1997	3.30	2.90	31	3.08	0.18							
1998	3.20	2.90	49	3.03	0.18							
1999	3.10	2.90	47	2.99	0.16							
2000	3.30	2.90	47	3.08	0.18							
2001	3.00	2.90	47	2.94	0.22							
2002	3.20	3.20	47	3.20	0.19							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
2	U.S.-95	001540	346.604	350.730	N	1993	2.90	3.00	51	2.95			
						1994	3.00	3.00	51	3.00	0.16		
						1995	3.00	2.80	51	2.89	0.16		
						1996	3.70	2.80	39	3.23	0.20		
						1997	3.40	2.50	39	2.93	0.15		
						1998	3.60	2.50	63	3.02	0.06		
						1999	3.40	2.50	55	2.93	0.06		
						2000	3.50	2.40	55	2.92	0.10		
						2001	3.50	2.40	55	2.92	0.14		
						2002	3.60	5.00	55	4.32	0.17		
2	U.S.-95	001540	350.730	352.130	N	1993	3.00	3.50	52	3.26			
						1994	3.00	3.50	52	3.26	0.38		
						1995	3.00	3.50	52	3.26	0.38		
						1996	3.60	3.50	38	3.54	0.28		
						1997	3.30	3.30	38	3.30	0.21		
						1998	3.50	3.30	53	3.39	0.06		
						1999	3.40	3.30	56	3.34	0.05		
						2000	3.50	3.30	56	3.39	0.07		
						2001	3.50	3.30	56	3.39	0.12		
						2002	3.40	5.00	56	4.23	0.12		
2	U.S.-95	001540	352.130	353.599	N	1993	3.00	4.00	55	3.52			
						1994	3.10	3.50	55	3.30	0.14		
						1995	3.10	3.50	55	3.30	0.14		
						1996	3.70	3.50	37	3.59	0.17		
						1997	3.40	3.30	37	3.34	0.13		
						1998	3.70	3.30	58	3.49	0.06		
						1999	3.60	3.30	58	3.44	0.05		
						2000	3.70	3.30	58	3.49	0.09		
						2001	3.70	3.30	58	3.49	0.12		
						2002	3.60	3.30	58	3.44	0.16		
2	U.S.-95	001540	353.599	354.655	N	*1993	2.90	3.50	58	3.21			
						1994	2.70	3.00	58	2.85	0.19	SEALCOAT	1995
						1995	2.70	3.00	58	2.85	0.19		
						1996	3.50	3.00	42	3.23	0.24		
						1997	3.40	2.70	42	3.03	0.13		
						1998	3.50	2.70	41	3.08	0.10		
						1999	3.50	3.10	49	3.29	0.07		
						2000	3.60	3.10	49	3.33	0.11		
						2001	3.60	3.10	49	3.33	0.11		
						2002	3.60	3.10	49	3.33	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS							
										INDEX	DEPTH									
2	U.S.-95	001540	354.655	355.905	N	*1993	2.90	3.50	58	3.21										
						1994	3.00	5.00	59	4.04	0.21	PLANT MIX OVERLAY	1994							
						1995	3.00	5.00	59	4.04	0.21	SEALCOAT								
						1996	3.90	5.00	37	4.47	0.08									
						1997	3.60	4.80	37	4.22	0.07									
						1998	3.50	4.80	33	4.17	0.09									
						1999	3.50	4.80	49	4.17	0.11									
						2000	3.60	4.80	49	4.22	0.07									
						2001	3.50	4.80	49	4.17	0.10									
						2002	3.40	4.80	49	4.12	0.09									
						2	U.S.-95	001540	355.905	357.100	N	*1993		2.50	3.50	55	3.02			
												1994		2.80	3.50	55	3.16	0.15		
1995	2.80	3.30	55	3.06	0.15							SEALCOAT								
1996	3.60	3.30	42	3.44	0.14															
1997	3.30	3.00	42	3.14	0.13															
1998	3.70	3.00	54	3.33	0.06															
1999	3.70	3.10	58	3.38	0.05															
2000	3.70	3.10	58	3.38	0.06															
2001	3.70	3.10	58	3.38	0.07															
2002	3.60	5.00	58	4.32	0.09															
2	U.S.-95	001540	357.100	359.400	N							1993	2.80	3.00	57	2.90				
												1994	2.80	2.70	57	2.74	0.11			
						1995	2.80	2.70	57	2.74	0.11									
						1996	3.50	2.70	40	3.08	0.17									
						1997	3.40	2.50	40	2.93	0.15									
						1998	3.70	2.50	52	3.07	0.06									
						1999	3.80	2.50	57	3.12	0.04									
						2000	3.80	2.50	57	3.12	0.07									
						2001	3.80	2.50	57	3.12	0.09									
						2002	3.80	5.00	57	4.42	0.13									
						2	U.S.-95	001540	359.400	360.300	N	1993	3.20	4.00	54	3.61				
												1994	3.10	4.00	54	3.57	0.14			
1995	3.10	3.80	54	3.46	0.14															
1996	3.20	3.30	38	3.25	0.22															
1997	3.30	2.90	38	3.09	0.16															
1998	3.30	2.90	47	3.09	0.17															
1999	3.30	2.90	56	3.09	0.15															
2000	3.30	2.70	56	2.98	0.19															
2001	3.30	2.70	56	2.98	0.16															
2002	3.20	5.00	56	4.13	0.17															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
2	U.S.-95	001540	360.300	361.724	N	1993	2.40	3.50	48	2.97		
						1994	2.30	3.00	48	2.66	0.23	
						1995	2.30	3.00	48	2.66	0.23	
						1996	3.30	3.00	37	3.14	0.22	
						1997	3.10	2.70	37	2.89	0.15	
						1998	2.70	2.70	50	2.70	0.11	
						1999	2.60	2.70	56	2.65	0.09	
						2000	2.80	2.50	56	2.64	0.11	
						2001	2.70	2.50	56	2.59	0.12	
						2002	2.90	5.00	56	3.99	0.13	
2	U.S.-95	001540	361.724	366.473	N	1993	2.40	3.00	55	2.71		
						1994	2.40	3.00	55	2.71	0.27	
						1995	2.40	3.00	55	2.71	0.27	
						1996	3.00	3.00	41	3.00	0.26	
						1997	2.90	2.70	41	2.79	0.17	
						1998	2.90	2.50	31	2.68	0.26	
						1999	2.90	2.50	56	2.69	0.25	
						2000	2.30	2.50	56	2.40	0.18	
						2001	3.30	2.50	56	2.88	0.07	
						2002	3.60	5.00	56	4.33	0.08	
2	U.S.-95	001540	366.473	371.599	N	1993	2.10	2.70	58	2.41		
						1994	2.20	2.70	58	2.46	0.31	
						1995	2.20	2.70	58	2.46	0.31	
						1996	3.10	2.70	45	2.89	0.26	
						1997	2.90	2.50	45	2.69	0.24	
						1998	2.90	2.50	38	2.68	0.41	
						1999	2.90	2.50	60	2.69	0.23	
						2000	3.00	2.40	60	2.68	0.23	
						2001	3.10	2.40	60	2.73	0.16	
						2002	3.10	4.50	60	3.83	0.21	
2	U.S.-95	001544	254.820	254.999	N	1993	0.60	1.90	62	1.40		
						1994	0.60	1.80	62	1.34	0.24	
						1995	0.60	1.70	62	1.28	0.24	
						1996	2.40	1.70	49	1.96	0.24	SEALCOAT
						1997	2.00	1.70	49	1.81	0.20	1996
						1998	2.00	1.70	49	1.81	0.19	
						1999	2.10	1.70	49	1.85	0.21	
						2000	2.00	1.70	60	1.81	0.23	
						2001	1.80	1.70	59	1.73	0.24	
						2002	1.80	1.60	59	1.67	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
2	U.S.-95	001544	254.999	255.190	N	1993	1.70	3.00	55	2.50							
						1994	1.70	3.00	55	2.50	0.10						
						1995	1.70	3.00	55	2.50	0.10						
						1996	2.60	3.00	39	2.84	0.14	SEALCOAT					1996
						1997	2.60	3.00	39	2.84	0.13						
						1998	2.40	3.00	39	2.77	0.12						
						1999	2.40	3.00	32	2.77	0.11						
						2000	2.60	3.00	32	2.84	0.14						
						2001	2.40	3.00	46	2.77	0.15						
						2002	2.20	3.00	46	2.69	0.15						
2	U.S.-95	001544	255.190	255.903	N	1993	1.70	2.90	52	2.44							
						1994	1.70	2.70	52	2.32	0.27						
						1995	1.70	2.60	52	2.26	0.27						
						1996	2.60	2.60	32	2.60	0.19	SEALCOAT				1996	
						1997	2.40	2.60	32	2.52	0.22						
						1998	2.30	2.60	32	2.48	0.23						
						1999	2.20	2.60	44	2.44	0.27						
						2000	2.30	2.60	44	2.48	0.29						
						2001	2.20	2.60	49	2.44	0.27						
						2002	2.00	2.60	49	2.37	0.20						
2	U.S.-95	001544	255.903	256.240	N	1993	2.50	1.90	51	2.12							
						1994	2.50	1.90	51	2.12	0.15						
						1995	2.50	1.90	51	2.12	0.15						
						1996	3.20	1.90	51	2.38	0.19	SEALCOAT				1996	
						1997	3.00	1.90	32	2.31	0.17						
						1998	2.90	1.90	32	2.27	0.17						
						1999	2.80	1.90	57	2.23	0.16						
						2000	2.90	1.90	57	2.27	0.17						
						2001	2.80	1.90	60	2.23	0.19						
						2002	2.60	1.90	60	2.16	0.20						
2	U.S.-95	001545	000.100	002.359	N	1993	2.00	1.50	47	1.70							
						1994	2.00	1.50	47	1.70	0.26						
						1995	2.00	1.50	47	1.70	0.26						
						1996	3.10	1.50	36	2.16	0.21						
						1997	2.90	1.50	36	2.07	0.21						
						1998	2.80	1.50	36	2.03	0.21						
						1999	3.10	1.50	55	2.16	0.17						
						2000	3.10	1.50	55	2.16	0.19						
						2001	3.10	1.50	45	2.16	0.15						
						2002	3.00	1.50	45	2.11	0.16						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
2	U.S.-95	001545	002.359	002.645	N	1993	1.80	2.00	41	1.92		
						1994	1.80	2.00	41	1.92	0.28	
						1995	1.80	2.00	41	1.92	0.28	
						1996	2.50	2.00	37	2.18	0.27	
						1997	2.30	2.00	37	2.11	0.26	
						*1998	2.20	2.00	37	2.07	0.28	
						1999	3.00	2.00	49	2.37	0.27	
						2000	3.10	2.00	49	2.41	0.27	
						2001	3.20	2.00	49	2.45	0.24	
						2002	3.00	2.00	49	2.37	0.22	
2	U.S.-95	001545	002.645	002.900	N	1993	1.80	2.00	41	1.92		
						1994	1.80	2.00	41	1.92	0.28	
						1995	1.80	2.00	41	1.92	0.28	
						1996	2.50	2.00	37	2.18	0.27	
						1997	2.30	2.00	37	2.11	0.26	
						*1998	2.20	2.00	37	2.07	0.28	
						1999	1.90	1.70	40	1.77	0.17	
						2000	2.90	1.70	49	2.15	0.14	
						2001	2.90	1.70	49	2.15	0.12	
						2002	3.10	1.70	49	2.22	0.10	
2	U.S.-95	001545	002.900	004.119	N	1993	2.30	1.50	48	1.82		
						1994	2.30	1.50	48	1.82	0.25	
						1995	2.30	1.50	48	1.82	0.25	
						1996	2.10	1.50	39	1.74	0.12	
						1997	2.10	1.50	39	1.74	0.12	
						1998	2.00	1.50	39	1.70	0.09	
						1999	1.70	1.50	43	1.58	0.13	
						2000	4.00	1.50	43	2.53	0.12	
						2001	3.90	1.50	52	2.48	0.09	
						2002	3.40	1.50	52	2.28	0.09	
2	U.S.-95	001546	311.920	312.780	N	1993	2.70	3.50	47	3.14		
						1994	2.70	3.50	47	3.14	0.00	
						1995	2.70	3.50	47	3.14	0.00	
						1996	3.40	3.50	47	3.45	0.08	
						1997	3.10	3.50	43	3.32	0.11	
						1998	3.00	3.50	37	3.27	0.09	
						1999	3.10	3.50	37	3.32	0.11	
						2000	3.30	3.50	37	3.41	0.15	
						2001	3.20	3.50	37	3.36	0.11	
						2002	3.10	3.50	48	3.32	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
2	U.S.-95	001547	000.063	000.500	N	1993	0.80	3.50	44	2.34		
						1994	0.80	3.50	44	2.34	0.55	
						1995	0.80	3.50	44	2.34	0.55	
						1996	1.60	3.50	39	2.68	0.12	
						1997	1.50	3.50	39	2.64	0.12	
						1998	1.40	3.50	39	2.60	0.13	
						1999	1.30	3.50	39	2.55	0.14	
						2000	1.40	3.00	68	2.31	0.14	
						2001	1.30	3.00	68	2.27	0.14	
						2002	1.40	3.00	68	2.31	0.16	
2	U.S.-95	001552	323.050	323.190	N	1993	1.90	4.60	63	3.32		
						1994	1.90	4.60	63	3.32	0.24	
						1995	1.90	4.60	63	3.32	0.24	
						1996	2.10	4.60	63	3.41	0.12	
						1997	2.10	4.60	39	3.41	0.12	
						1998	2.00	4.60	39	3.36	0.09	
						1999	1.70	4.60	43	3.22	0.13	
						2000	4.00	4.60	43	4.31	0.12	
						2001	3.90	4.60	52	4.26	0.09	
						2002	2.70	4.60	52	3.69	0.06	
2	U.S.-95	001553	345.051	345.349	N	1993	0.60	2.90	45	1.90		
						1994	0.70	2.90	45	1.95	0.15	
						1995	0.70	2.80	45	1.89	0.15	
						1996	1.80	2.80	35	2.36	0.49	
						1997	1.50	2.80	35	2.23	0.45	
						1998	1.50	2.80	35	2.23	0.38	
						1999	1.20	2.80	35	2.10	0.28	
						2000	1.10	2.80	18	2.06	0.38	
						2001	1.60	2.80	18	2.28	0.33	
						2002	1.80	2.80	49	2.36	0.42	
2	U.S.-95	001553	345.349	345.560	N	1993	0.40	3.50	49	2.18		
						1994	0.80	3.50	49	2.35	0.50	
						1995	0.80	3.30	49	2.24	0.50	
						1996	2.10	3.30	49	2.79	0.26	
						1997	1.90	3.30	35	2.70	0.27	
						1998	1.60	3.30	35	2.58	1.57	
						1999	1.60	3.10	35	2.46	0.23	
						2000	2.00	3.10	18	2.63	0.21	
						2001	1.30	3.10	18	2.32	0.29	
						2002	1.90	3.10	49	2.58	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS			
										INDEX	DEPTH				
2	U.S.-95	001870	002.145	002.235	N	2001	2.00		68	2.00	0.16				
									2002	2.00	5.00	68	3.50	0.16	
2	U.S.-95	005659	009.970	010.000	N	1994	0.50	3.00	48	1.99	0.33				
									1995	0.80	2.90	55	2.05	0.03	
									1996	2.10	2.90	37	2.57	0.26	
									1997	1.90	2.90	37	2.49	0.27	
									1998	1.60	2.90	44	2.37	1.57	
									1999	2.30	5.00	29	3.91	0.22	
									2000	2.00	5.00	68	3.79	0.21	
									2001	1.30	5.00	68	3.51	0.29	
									2002	1.90	5.00	68	3.75	0.20	
						2	U.S.-95	006330	000.000	000.551	N	1993	2.20	1.00	59
			1994	2.20	1.00							59	1.45	0.32	
			1995	2.20	1.00							59	1.45	0.32	
			1996	2.60	1.00							49	1.60	0.25	
			1997	2.40	1.00							49	1.52	0.25	
			1998	2.30	1.00							49	1.48	0.25	
			1999	2.10	1.00							51	1.41	0.30	
			2000	2.50	1.00							51	1.56	0.15	
			2001	2.50	1.00							49	1.56	0.14	
			2002	2.10	1.00							49	1.41	0.17	
2	U.S.-95	006330	000.551	000.781	N	1993	2.00	1.00	59	1.37					
									1994	2.00	1.00	59	1.37	0.18	
									1995	2.00	1.00	59	1.37	0.18	
									1996	2.80	1.00	49	1.67	0.17	
									1997	2.90	1.00	49	1.71	0.16	
									1998	2.70	1.00	49	1.64	0.18	
									1999	2.60	1.00	51	1.60	0.18	
									2000	2.70	1.00	51	1.64	0.18	
									2001	2.70	1.00	43	1.64	0.18	
									2002	2.40	1.00	43	1.52	0.16	
2	U.S.-95	006416	344.767	345.017	N	2001	1.60	5.00	18	3.56	0.12				
									2002	1.80	5.00	49	3.63	0.14	
2	U.S.-95	006418	000.500	000.670	N	1993	0.50	5.00	48	3.08					
									1994	0.50	5.00	48	3.08	0.17	
									1995	0.50	5.00	55	3.07	0.17	
									1996	2.60	5.00	37	3.97	0.12	
									1997	2.50	5.00	37	3.93	0.09	
									1998	2.50	5.00	44	3.93	0.16	
									1999	2.40	4.50	29	3.60	0.20	
									2000	2.40	4.50	68	3.60	0.23	
									2001	2.40	4.50	68	3.60	0.17	
									2002	2.40	4.00	68	3.31	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
2	U.S.-95	008605	263.825	267.496	N	1993	1.80	5.00	59	3.47		NEW CONST OR RECONST (FLEX)	1993
						1994	2.80	5.00	59	3.95	0.23		
						1995	2.80	5.00	36	3.95	0.23		
						1996	3.80	5.00	44	4.42	0.14		
						1997	3.50	5.00	44	4.28	0.12		
						1998	3.40	5.00	50	4.23	0.15		
						1999	3.40	5.00	48	4.23	0.17		
						2000	3.50	5.00	48	4.28	0.21		
						2001	3.60	5.00	48	4.33	0.23		
						2002	3.50	4.90	48	4.23	0.24		
2	U.S.-95	008605	267.496	273.735	N	1993	3.00	5.00	56	4.04			
						1994	3.00	5.00	56	4.04	0.20		
						1995	3.00	5.00	56	4.04	0.20		
						1996	3.70	5.00	42	4.38	0.11		
						1997	3.50	5.00	42	4.28	0.09		
						1998	3.40	4.80	50	4.13	0.12		
						1999	3.40	4.00	49	3.71	0.13	SEALCOAT	1999
						2000	3.30	3.80	49	3.56	0.15		
						2001	3.30	3.80	49	3.56	0.16		
						2002	3.20	2.50	49	2.83	0.17		
2	S.H.-99	001880	000.000	002.723	N	1993	2.10	2.70	58	2.47			
						1994	2.60	2.70	58	2.66	0.20	SEALCOAT	1994
						1995	2.60	2.70	58	2.66	0.20		
						1996	3.20	2.70	42	2.88	0.33		
						1997	3.00	2.60	42	2.75	0.28		
						1998	3.20	2.60	42	2.82	0.39		
						1999	3.60	5.00	70	4.47	0.11		
						2000	3.40	5.00	70	4.39	0.11		
						2001	3.50	5.00	55	4.43	0.11		
						2002	3.50	5.00	55	4.43	0.12		
2	S.H.-99	001880	002.723	011.686	N	1993	2.80	2.30	54	2.48			
						1994	2.50	2.30	54	2.37	0.24	SEALCOAT	1994
						1995	2.50	2.30	54	2.37	0.24		
						1996	3.40	2.30	41	2.71	0.13		
						1997	3.10	2.00	41	2.41	0.13		
						1998	3.20	2.00	36	2.45	0.31		
						1999	3.70	5.00	67	4.51	0.06	PLANT MIX OVERLAY	1999
						2000	3.80	5.00	67	4.54	0.04		
						2001	3.80	5.00	53	4.54	0.05		
						2002	3.70	5.00	53	4.51	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
2	128	006780	000.000	000.075	N	1993	2.70	5.00	42	4.13									
						1994	2.80	4.50	42	3.86	0.26	NEW CONST OR RECONST (FLEX)	1994						
						1995	2.80	4.30	32	3.74	0.26								
						*1996	3.70	4.30	31	4.07	0.16								
						1997	3.10	4.30	41	3.81	0.13								
						1998	3.20	4.30	36	3.85	0.31	SEALCOAT	1998						
						1999	3.70	4.30	67	4.05	0.06								
						2000	3.80	4.30	67	4.09	0.04								
						2001	3.80	4.30	46	4.08	0.05								
						2002	3.70	4.30	46	4.04	0.05								
						2	128	006780	000.075	000.125	N	1993	2.70	5.00	42	4.13			
												1994	2.80	4.50	42	3.86	0.26	NEW CONST OR RECONST (FLEX)	1994
1995	2.80	4.30	32	3.74	0.26														
*1996	3.70	4.30	31	4.07	0.16														
*1997	3.50	5.00	41	4.38	0.12							NEW CONST OR RECONST (FLEX)	1997						
1998	2.50	5.00	47	3.97	0.18							SEALCOAT	1998						
1999	2.40	5.00	47	3.93	0.21														
2000	2.50	5.00	47	3.97	0.18														
2001	2.50	4.80	47	3.83	0.23														
2002	2.90	4.80	46	4.00	0.22														
2	128	006780	000.375	000.511	N							1993	2.70	5.00	42	4.13			
												1994	2.80	4.50	42	3.86	0.26		
						1995	2.80	4.30	32	3.74	0.26								
						*1996	3.70	4.30	31	4.07	0.16								
						*1997	3.50	5.00	41	4.38	0.12	NEW CONST OR RECONST (FLEX)	1997						
						1998	3.60	5.00	41	4.42	0.15	SEALCOAT	1998						
						1999	3.60	5.00	32	4.42	0.16								
						2000	3.40	5.00	32	4.34	0.18								
						2001	3.50	4.80	31	4.25	0.22								
						2002	3.30	4.80	31	4.16	0.19								
						2	128	006780	000.511	002.093	N	1993	2.70	5.00	42	4.13			
												1994	2.80	4.50	42	3.86	0.26		
1995	2.80	4.30	32	3.74	0.26														
*1996	3.70	4.30	31	4.07	0.16														
1997	3.00	4.30	30	3.81	0.19														
1998	3.00	4.30	39	3.81	0.27							SEALCOAT	1998						
1999	3.10	4.30	38	3.83	0.22														
2000	3.10	3.00	38	3.03	0.28														
2001	3.10	3.00	29	3.03	0.27														
2002	3.00	3.00	29	3.00	0.30														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	128	006780	002.093	002.198	N	1993	1.90	2.50	42	2.27		
						1994	1.90	4.00	42	3.22	0.12	
						1995	1.90	4.00	33	3.22	0.12	
						1996	2.70	4.00	33	3.52	0.12	
						1997	2.50	4.00	33	3.44	0.18	
						1998	2.40	4.00	33	3.41	0.19	SEALCOAT
						1999	2.30	4.00	38	3.37	0.15	
						2000	2.70	4.00	38	3.52	0.21	
						2001	2.50	4.00	29	3.44	0.17	
						2002	2.30	4.00	29	3.37	0.21	
2	128	006800	000.000	000.095	N	1993	2.70	3.00	42	2.88		
						1994	2.80	5.00	42	4.15	0.26	NEW CONST OR RECONST (FLEX)
						1995	2.80	5.00	32	4.15	0.26	
						1996	3.70	5.00	31	4.50	0.16	
						1997	3.10	5.00	41	4.20	0.13	
						1998	2.40	5.00	33	3.91	0.19	
						1999	2.30	5.00	38	3.96	0.15	
						2000	2.70	5.00	38	4.03	0.21	
						2001	2.50	4.50	29	3.66	0.17	
						2002	2.30	4.50	29	3.58	0.21	
2	128	025238	000.125	000.375	N	1998	3.60	5.00	47	4.48	0.19	SEALCOAT
						1999	3.50	5.00	47	4.60	0.19	
						2000	3.50	5.00	47	4.44	0.20	
						2001	3.40	4.80	47	4.26	0.25	
2	162	001940	030.819	030.952	N	2002	3.20	4.80	46	4.18	0.26	
						1994	0.20	1.50	49	1.00	0.24	
						1995	0.20	1.50	49	1.00	0.24	
						1996	2.10	1.50	49	1.72	0.18	
						1997	2.10	1.50	30	1.72	0.15	
						1998	2.00	1.50	55	1.68	0.16	
						1999	2.50	1.50	45	1.87	0.17	
						2000	2.40	1.50	45	1.84	0.17	
						2001	2.10	1.50	45	1.72	0.20	
2	162	001940	030.952	031.077	N	2002	2.10	1.50	45	1.72	0.20	
						1994	1.80	2.50	41	2.23	0.33	
						1995	1.80	2.40	41	2.17	0.33	
						1996	2.00	2.40	41	2.24	0.33	
						1997	2.10	2.40	30	2.28	0.31	
						1998	2.20	1.50	55	1.76	0.13	
						1999	2.10	1.50	45	1.72	0.19	
						2000	2.20	1.50	45	1.76	0.15	
						2001	2.50	1.50	45	1.87	0.21	
						2002	1.90	1.50	45	1.65	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	162	001950	000.000	000.456	N	1993	1.40	1.30	48	1.33		
						1994	1.40	1.30	48	1.33	0.32	
						1995	1.40	1.30	48	1.33	0.32	SEALCOAT
						1996	2.70	1.30	62	1.82	0.18	
						1997	2.60	1.30	62	1.78	0.17	
						1998	2.60	1.30	53	1.78	0.19	
						1999	2.60	1.30	53	1.78	0.20	
						2000	2.60	1.30	53	1.78	0.20	
						2001	2.60	1.30	41	1.78	0.20	
						2002	2.50	1.30	41	1.75	0.22	
2	162	001950	000.456	003.786	N	1993	2.10	3.00	57	2.62		
						1994	2.00	3.00	57	2.58	0.36	
						1995	2.00	3.00	57	2.58	0.36	SEALCOAT
						1996	3.10	3.00	60	3.04	0.13	
						1997	2.90	3.00	60	2.95	0.13	
						1998	2.90	3.00	63	2.95	0.13	
						1999	2.90	3.00	58	2.95	0.14	
						2000	2.90	3.00	58	2.95	0.13	
						2001	2.90	3.00	53	2.95	0.14	
						2002	3.00	3.00	53	3.00	0.17	
2	162	001950	003.786	005.573	N	1993	1.90	1.90	66	1.90		
						1994	1.90	1.90	66	1.90	0.39	
						1995	1.90	1.90	66	1.90	0.39	SEALCOAT
						1996	3.00	1.90	57	2.35	0.11	
						1997	2.70	1.70	57	2.11	0.10	
						1998	2.50	1.70	57	2.03	0.11	
						1999	2.50	1.70	53	2.03	0.12	
						2000	2.60	1.70	53	2.07	0.11	
						2001	2.60	1.70	50	2.07	0.13	
						2002	2.60	1.70	50	2.07	0.13	
2	162	001950	005.573	007.086	N	1993	1.50	2.40	64	2.02		
						1994	1.50	2.40	64	2.02	0.53	
						1995	1.50	2.40	64	2.02	0.53	SEALCOAT
						1996	2.80	2.40	51	2.56	0.16	
						1997	2.40	2.40	51	2.40	0.14	
						1998	2.30	2.40	51	2.35	0.18	
						1999	2.30	2.40	48	2.35	0.18	
						2000	2.40	2.30	48	2.34	0.17	
						2001	2.30	2.30	51	2.30	0.17	
						2002	2.50	2.30	51	2.38	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	162	001950	007.086	008.000	N	1993	2.20	3.50	28	2.96		
						1994	2.10	3.50	28	2.92	0.51	
						1995	2.10	3.50	28	2.92	0.51	SEALCOAT
						1996	2.90	3.50	48	3.25	0.19	
						1997	2.60	3.00	48	2.83	0.18	
						1998	2.50	3.00	65	2.79	0.18	
						1999	2.50	3.00	63	2.79	0.17	
						2000	2.60	2.90	63	2.77	0.20	
						2001	2.50	2.90	39	2.73	0.24	
						2002	2.60	2.90	39	2.77	0.20	
2	162	001950	008.000	008.780	N	1993	2.90	2.50	54	2.66		
						1994	2.70	2.50	54	2.58	0.38	
						1995	2.70	2.30	54	2.46	0.38	
						1996	3.00	1.90	42	2.35	0.26	
						1997	2.90	1.60	42	2.13	0.27	
						1998	3.20	1.60	64	2.26	0.15	SEALCOAT
						1999	3.10	1.60	65	2.21	0.14	
						2000	3.00	1.60	65	2.17	0.16	
						2001	2.90	1.60	54	2.13	0.16	
						2002	2.50	1.60	54	1.97	0.14	
2	162	001950	008.780	013.748	N	1993	2.10	1.50	55	1.74		
						1994	2.10	1.50	55	1.74	0.43	
						1995	2.10	1.50	55	1.74	0.43	
						1996	3.00	1.50	43	2.11	0.30	
						1997	3.00	1.40	43	2.06	0.25	
						1998	3.10	1.40	59	2.10	0.20	SEALCOAT
						1999	3.00	1.40	62	2.06	0.20	
						2000	3.10	1.40	62	2.10	0.23	
						2001	3.10	1.40	42	2.10	0.19	
						2002	3.10	1.40	42	2.10	0.22	
2	162	001950	013.748	020.563	N	1993	1.90	1.70	52	1.78		
						1994	2.00	1.70	52	1.82	0.40	
						1995	2.00	1.70	52	1.82	0.40	
						1996	2.80	1.50	41	2.03	0.24	
						1997	2.70	1.50	41	1.99	0.22	
						1998	2.80	1.50	56	2.03	0.15	SEALCOAT
						1999	2.80	1.50	59	2.03	0.17	
						2000	2.80	1.50	59	2.03	0.16	
						2001	2.80	1.50	47	2.03	0.18	
						2002	2.80	1.50	47	2.03	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
2	162	001950	020.563	022.199	N	1993	2.00	2.00	48	2.00		
						1994	2.10	2.00	48	2.04	0.45	
						1995	2.10	2.00	48	2.04	0.45	
						1996	2.70	1.20	32	1.82	0.32	
						1997	2.50	1.20	32	1.73	0.33	
						1998	3.10	1.20	54	1.98	0.11	SEALCOAT
						1999	3.00	1.20	59	1.94	0.21	
						2000	3.00	1.20	59	1.94	0.18	
						2001	3.00	1.20	51	1.94	0.21	
						2002	2.80	1.20	51	1.86	0.26	
2	162	001950	022.199	022.813	N	1993	2.40	2.00	46	2.15		
						1994	2.50	2.00	46	2.18	0.34	
						1995	2.50	2.00	46	2.18	0.34	
						1996	3.00	1.50	30	2.06	0.31	
						1997	2.80	1.40	30	1.92	0.30	
						1998	3.30	1.40	55	2.11	0.10	SEALCOAT
						1999	3.30	1.40	57	2.11	0.17	
						2000	3.30	1.40	57	2.11	0.15	
						2001	3.20	1.40	51	2.07	0.20	
						2002	3.10	1.40	51	2.04	0.22	
2	162	001950	022.813	023.065	N	1993	2.20	2.00	49	2.07		
						1994	2.60	2.00	49	2.22	0.58	
						1995	2.60	2.00	49	2.22	0.58	
						1996	3.30	1.90	49	2.42	0.49	
						1997	3.00	1.90	30	2.31	0.46	
						1998	3.80	1.90	55	2.61	0.11	SEALCOAT
						1999	3.70	1.90	45	2.57	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS---
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
						2000	3.70	1.90	45	2.57	0.19	
						2001	3.50	1.90	45	2.50	0.28	
						2002	3.10	1.90	45	2.35	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------